

Jul 24, 2019

Version 2

Prepare NGM plates with fungizone V.2

DOI

<https://dx.doi.org/10.17504/protocols.io.3shgnb6>

Research Cancer UK / Wellcome Gurdon Institute media kitchen¹

¹Research Cancer UK / Wellcome Gurdon Institute



Cristian Riccio

University of Cambridge

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.3shgnb6>

Protocol Citation: Research Cancer UK / Wellcome Gurdon Institute media kitchen 2019. Prepare NGM plates with fungizone. protocols.io <https://dx.doi.org/10.17504/protocols.io.3shgnb6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: June 05, 2019

Last Modified: July 24, 2019

Protocol Integer ID: 24105

Keywords: ngm plates with fungizone prepare ngm plate, fungizone prepare ngm plate, ngm plate, fungizon, ngm

Abstract

Prepare NGM plates with fungizon

Materials

MATERIALS

 Petri Dish **P212121 Catalog #LI-PD01100**

 Magnesium Sulfate Heptahydrate Certified AR for Analysis Fisher Chemical **Fisher Scientific Catalog #M/1050/53**

 Potassium Dihydrogen Orthophosphate Certified AR for Analysis Fisher Chemical **Fisher Scientific Catalog # P/4800/53**

 NGM medium

 fungizone

 Cholesterol **Merck MilliporeSigma (Sigma-Aldrich)**

 Calcium chloride dihydrate for analysis EMSURE® ACSReag. Ph Eur **Merck Millipore (EMD Millipore) Catalog #102382**

Safety warnings

 Make sure you know how to use the autoclave before starting this protocol.

1



NGM+Fungizone_plates(1L).xls

2

Ingredients			Quantity
NGM Media			1L
Cholesterol 5mg/ml		1ml	
1M CaCl ₂			1ml
1M MgSO ₄			1ml
1M KH ₂ PO ₄			25ml
Petri dish	30mm		as required
	50mm		as required
	90mm		as required
Fungizone	400 microlitres		1 microtube

3

First thing in the morning, melt 1L NGM in autoclave
Once melted, place in water bath set at 58°C, leave until cooled (-at least 2 hours) normally left until the afternoon.
Set out the plates on bench before starting pouring process.



	Put melted NGM media on stirrer
	Using 1ml gilson add the Cholesterol,replace the lid and return to the bench to give a good stir to dispense all the cholesterol.
	Add the KH ₂ PO ₄ using sterile 50ml syringe and 0.22µm filter.
	Stir for a few seconds until well mixed. Add Fungizone ensuring all is added to the NGM.
	Dispense media using a peristaltic pump. Add 4.20ml in 30mm plates, 9.00ml in 50mm plates, 4.50ml in 6 well plates and 2.5ml in 12 well plates. When set stack upside down in plastic trays.