SEP 20, 2019

Transformation

宏亮 董¹

¹Northeast Forest University

2019 iGEM NEFU_China

Tech. support email: shengyiyanwork@gmail.com

宏亮 董

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.7idhka6

Protocol Citation: 宏亮 董
2019. Transformation.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.7idhka6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Sep 20, 2019

Last Modified: Sep 20, 2019

PROTOCOL integer ID:
27941

Keywords: Transformation

MATERIALS

DH5α chemically competent
LB medium

SAFETY WARNINGS

Please wear gloves for the experiment.

- 1 Put DH5α chemically competent bacterium on ice for melting about 15min.

- 2 Add 50 µl DH5α chemically competent bacterium into 1.5 ml tubes, mix with ligation product or digested product thoroughly, incubate the bacterium on ice for 30 min.
- 3 Heat shock the bacterium for exactly 45 s at 42 °C water bath.
- 4 Place back on ice for 2 min.
- 5 Add 500 µl LB medium to each tube, shake the tubes at 37 °C, 200 rpm for 45 min.
- 6 Centrifuge the bacterium at 3000r for 3 min.
- 7 Discard 300 µl supernatant and resuspend the sediment.
- 8 Plate 100 µl for a reaction product.
- 9 Incubate plates upside down overnight at 37°C.