

Apr 13, 2020

## 10% Triton X-100

DOI

[dx.doi.org/10.17504/protocols.io.bezhjf36](https://dx.doi.org/10.17504/protocols.io.bezhjf36)

Allen Institute for Brain Science<sup>1</sup>

<sup>1</sup>Allen Institute

BICCN / BICAN

Allen Institute for Brain S...



**Allen Institute**

Allen Institute

---

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.bezhjf36](https://dx.doi.org/10.17504/protocols.io.bezhjf36)

**Protocol Citation:** Allen Institute for Brain Science 2020. 10% Triton X-100. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.bezhjf36>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** April 13, 2020

**Last Modified:** March 17, 2021

**Protocol Integer ID:** 35593

**Keywords:** RP0195, immunohistochemistry, IHC, reagents,

## Abstract

This protocol is used to attain 10% Triton X-100 which is utilized in several Immunohistochemistry (IHC) reagents to reduce the surface tension of the reagents and to make the cell membranes of the tissue more permeable.

**Note:** Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

## Attachments



RP0195\_10Percent\_Tri...

37KB

