

May 19, 2020 Version 1

## 10% Tween 20 V.1

DOI

[dx.doi.org/10.17504/protocols.io.bfzmjp46](https://dx.doi.org/10.17504/protocols.io.bfzmjp46)

Allen Institute for Brain Science<sup>1</sup>

<sup>1</sup>Allen Institute

BICCN / BICAN

Allen Institute for Brain S...



Allen Institute

Allen Institute

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.bfzmjp46](https://dx.doi.org/10.17504/protocols.io.bfzmjp46)

**Protocol Citation:** Allen Institute for Brain Science 2020. 10% Tween 20. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.bfzmjp46>

**License:** This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

We use this protocol and it's working

**Created:** May 05, 2020

**Last Modified:** March 17, 2021

**Protocol Integer ID:** 36621

**Keywords:** RP0007, surfactant, immunohistochemistry,

## Abstract

This protocol is used to prepare 10% Tween 20. Tween 20, when added to aqueous solutions acts as a surfactant, decreasing the surface tension of the solution. It also punches holes in membranes, allowing easier penetration of macromolecules into cells and organelles, and reduces non-specific binding of antisera in immunohistochemistry.

**Note:** Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

## Attachments



[RP0007\\_10\\_Tween\\_20.d.](#)

..

35KB

