

Oct 20, 2018 Version 2

2. Steps of Clinical Reasoning Process and Variables of Quality Indicators for Physiotherapy Care Process of Patients with WAD for Analysis V.2

DOI

dx.doi.org/10.17504/protocols.io.utgewjw

Rob A B Oostendorp¹

¹Scientific Institute for Quality of Healthcare (IQ healthcare), Radboud University Nijmegen Medical Centre, Nijmegen, The Netherlands

 Rob A B Oostendorp

Radboudumc, Nijmegen, The netherlands, Vrije Universiteit Br...

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.utgewjw

Protocol Citation: Rob A B Oostendorp 2018. 2. Steps of Clinical Reasoning Process and Variables of Quality Indicators for Physiotherapy Care Process of Patients with WAD for Analysis. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.utgewjw>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: October 18, 2018

Last Modified: October 20, 2018

Protocol Integer ID: 16968

Abstract

Appendix 2.

Overview of 9 Steps of Clinical Reasoning Process including the Variables of Quality Indicators for Physiotherapy Care Process of Patients with Whiplash-Associated Disorders (WAD) for Analysis

Attachments



[Appendix 2 - Steps c...](#)

533KB

