

Oct 20, 2018 Version 3

3. Set of quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD) V.3

DOI

dx.doi.org/10.17504/protocols.io.uthewj6

Rob A B Oostendorp¹

¹Scientific Institute for Quality of Healthcare (IQ healthcare), Radboud University Nijmegen Medical Centre, Nijmegen, The Netherlands

 Rob A B Oostendorp

Radboudumc, Nijmegen, The netherlands, Vrije Universiteit Br...

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.uthewj6

Protocol Citation: Rob A B Oostendorp 2018. 3. Set of quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD). [protocols.io https://dx.doi.org/10.17504/protocols.io.uthewj6](https://dx.doi.org/10.17504/protocols.io.uthewj6)

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: October 18, 2018

Last Modified: October 20, 2018

Protocol Integer ID: 16969

Abstract

Quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD):

- . steps of clinical reasoning
- . number of indicators
- . type of indicator
- . item measured
- . indicator
- . level of evidence
- . performance target

Attachments



[Appendix 3 - Quality...](#)

605KB

