

Oct 20, 2018

Version 3

3. Set of quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD) V.3

DOI

dx.doi.org/10.17504/protocols.io.uthewj6

Rob A B Oostendorp¹

¹Scientific Institute for Quality of Healthcare (IQ healthcare), Radboud University Nijmegen Medical Centre, Nijmegen, The Netherlands



Rob A B Oostendorp

Radboudumc, Nijmegen, The netherlands, Vrije Universiteit Br...

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account





DOI: https://dx.doi.org/10.17504/protocols.io.uthewj6

Protocol Citation: Rob A B Oostendorp 2018. 3. Set of quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD). **protocols.io** https://dx.doi.org/10.17504/protocols.io.uthewj6

License: This is an open access protocol distributed under the terms of the <u>Creative Commons Attribution License</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited



Protocol status: Working

We use this protocol and it's working

Created: October 18, 2018

Last Modified: October 20, 2018

Protocol Integer ID: 16969

Keywords: quality indicators for physiotherapy care process, patients with whiplash, physiotherapy care process of patient, physiotherapy care process, quality indicator, set of quality indicator, whiplash, indicator, number of indicator, steps of clinical reasoning, type of indicator, clinical reasoning, patient, associated disorder

Abstract

Quality indicators for physiotherapy care process of patients with Whiplash-Associated Disorders (WAD):

- . steps of clinical reasoning
- . number of indicators
- . type of indicator
- . item measured
- . indicator
- . level of evidence
- . performance target

Attachments



Appendix 3 - Quality...

605KB

Troubleshooting

