VERSION 2

JAN 06, 2020

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.bazjif4n

Protocol Citation: Peter Vangheluwe, Shaun Martin, Mujahid Azfar 2020. 4-methylumbelliferyl heptanoate (MUH) - Cell Viability Assay. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bazjif4n>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Jan 06, 2020

Last Modified: Dec 26, 2022

PROTOCOL integer ID:
31499

4-methylumbelliferyl heptanoate (MUH) - Cell Viability Assay V.2

Peter Vangheluwe¹, Shaun Martin¹, Mujahid Azfar¹

¹KU Leuven

Peter Vangheluwe

ABSTRACT

The 4-methylumbelliferyl heptanoate (*MUH*) assay is a A fluorimetric assay used to study cell-mediated cytotoxicity. The principle behind this assay employs the activity of esterases found in viable cells. These esterases then hydolyse the fluorochrome in the MUH reagent which can then be read using a plate reader.

ATTACHMENTS

[Cell Viability - MUH assay.pdf](#)

Keywords: Cell Viability Assay, MUH assay, 4-methylumbelliferyl heptanoate, cell-mediated cytotoxicity, cell proliferation, ASAPCRN