

Jun 03, 2020 Version 2

## 50 mM Phosphate Buffer (with 0.02% sodium azide option) V.2

DOI

[dx.doi.org/10.17504/protocols.io.bg52jy8e](https://dx.doi.org/10.17504/protocols.io.bg52jy8e)

Allen Institute for Brain Science<sup>1</sup>

<sup>1</sup>Allen Institute

BICCN / BICAN

Allen Institute for Brain S...



**Allen Institute**

Allen Institute

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.bg52jy8e](https://dx.doi.org/10.17504/protocols.io.bg52jy8e)

**Protocol Citation:** Allen Institute for Brain Science 2020. 50 mM Phosphate Buffer (with 0.02% sodium azide option). **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bg52jy8e>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** June 03, 2020

**Last Modified:** March 17, 2021

**Protocol Integer ID:** 37786

**Keywords:** RP0197, tissueocyte, buffer, embedding, brain, mouse,

## Abstract

50 mM Phosphate Buffer can be used as a general buffer solution for multiple applications. It is suitable for use as a buffer for specimen embedding, as part of brain preparation associated with TissueCyte 2P Serial Imaging, described in PF0315 TissueCyte Specimen Embedding Acrylamide Coembedding.

**Note:** Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

## Attachments



[RP0197\\_50mM\\_phospha](#)

[t...](#)

41KB

