

Mar 04, 2025

Analyzing degranulation in HMC1.2 and RBL-2H3 cells

DOI

<https://dx.doi.org/10.17504/protocols.io.5jyl8dqr7g2w/v1>

Justin Donnelly¹

¹Arcadia Science

Arcadia Science



Arcadia Science

Arcadia Science

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.5jyl8dqr7g2w/v1>

Collection Citation: Justin Donnelly 2025. Analyzing degranulation in HMC1.2 and RBL-2H3 cells. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.5jyl8dqr7g2w/v1>

Manuscript citation:

Borges AL, Donnelly J, Morazan E, Rollins M. (2025). Compound 48/80 is toxic in HMC1.2 and RBL-2H3 cells.
<https://doi.org/10.57844/arcadia-3207-4695>



License: This is an open access collection distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this collection and it's working

Created: January 28, 2025

Last Modified: March 13, 2025

Collection Integer ID: 119252

Keywords: degranulation of mast cell, mast cell, cell viability, degranulation, analyzing degranulation, cell, impact of activator

Abstract

A collection detailing procedures for culturing, activating, and analyzing the degranulation of mast cells. Also included is a procedure to assess the impact of activators on cell viability, which is a crucial control.



Files

 SEARCH

Protocol

NAME

Culturing HMC1.2 human mast cells

VERSION 1

CREATED BY



Arcadia Science
Arcadia Science

OPEN →

Protocol

NAME

Culturing RBL-2H3 rat basophils

VERSION 1

CREATED BY



Arcadia Science
Arcadia Science

OPEN →

Protocol

NAME

Treating mast cells and basophils with degranulation inducers

VERSION 1

CREATED BY



Arcadia Science
Arcadia Science

OPEN →

Protocol

NAME

Detecting degranulation via hexosaminidase assay

VERSION 1

CREATED BY



Arcadia Science
Arcadia Science

OPEN →

Protocol

NAME

Quantifying cell viability via LDH cytotoxicity assay

VERSION 1

CREATED BY



Arcadia Science
Arcadia Science

OPEN →