VERSION 2

JUN 26, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.4r2gv8e

External link:
<https://doi.org/10.1038/s41592-020-0796-x>

Protocol Citation: Isabel Nimmo, Ellen Nisbet, Adrian Barbrook, Chris Howe. 2019. Biolistic Transformation of *Amphidinium*. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.4r2gv8e>

Biolistic Transformation of *Amphidinium* V.2

Nature Methods

Isabel Nimmo¹, Ellen Nisbet², Adrian Barbrook², Chris Howe.²

¹University of Cambridge;

²Department of Biochemistry, University of Cambridge

Isabel Nimmo
 University of Cambridge

ABSTRACT

A method to transform the chloroplast of *Amphidinium carterae* using biolistics.

orcid.org/0000-0002-2469-0611

orcid.org/0000-0002-6975-8640

orcid.org/0000-0003-4487-196X

MATERIALS

pAmpPSBA

```

gggcgaattg ggcccgacgt cgcattgtcc cggccgcat ggccgcccgc ggaattcgat 60
agattaagaa cgattagatt accttccta ttattgggaa cgttgaacg atgaattaaa 120
ctcacagtag gcccttcggg cgccttcga acgacgtatt gacctaccta cctaagtaga 180
gatcgttggt ggcacgtatc aatacccggt taaacaggta caactgttg atggttatcc 240
tgcaacacct ctagatgct agaattgagtc cataaaggct tggaattccc gctttagatt 300
atctctggtt aggtaatagt gccttcctt cttgagcct cctaccgaaa gtcaattcaa 360
cagcacagat gattattatt aagagctcaa acaattgtga tcaaacagca tcgaaggata 420
cggaagcgta gagaatagac aatcgggaga ctatcattag tctggacaa atgtgttcag 480
acatgagggt gaccaggta ttcataggct ctccggtcat ttgttccat ctctaccca 540
gtagagaaaa atccaggta tatcatagga gatggaactg agagatcgag agaacgaaga 600
cagaaaggag gtgaaaggta gttggcatgt tgatctggcg agtcagaggc atcaaacagg 660
aacgaaggta atagaatgaa tgataattga tgaaacgaca atgaaagtcc tctaaagaag 720
aggcaactaa taaagatgaa acatatctcg ggggtgcgcc taagtcaggc taagaaagca 780
tcaaacagat acaaccgtg ggcaggtaaa caagtgatta atctgatct aaggatgatt 840
acgacctgag gaaagggtg tacaatacct catacctgta tgactgatcg gtgctttaat 900
cacacctgag aagtgccaa ttacattgag taggcatctt taatagcttg tagggttcac 960
accgagctct aaaggtagaa aggtccaaca atcagggtcat gtggcccgaga aaccagctg 1020
gtaacctgag accctacctc ccttcgggga tcctatcaaa tggctgtgtg attcagttcc 1080
cgtcttacgg agtgcttggt gcggtggagt ggcaggggta ggcaagtagt cgagtggtga 1140
gctgtaatgg tgatccgag ttaccttc tggtacctg gtgcctcgtt aagaagacga 1200
actctcgta gtgaggccag cgtaaacctt ttccatatac tattatgaca agccttattc 1260
gctctaactc ctgggggttct ttggtcaaaa caatcacttc ttctctaac cgtctttata 1320
tcggttggtt cggctctctc gcttccac ttctctcct tgctaccgta gcttatata 1380
    
```

MANUSCRIPT CITATION:

Faktorová D, Nisbet RER, Robledo JAF, Casacuberta E, Sudek L, Allen AE, Ares M, Aresté C, Balestreri C, Barbrook AC, Beardslee P, Bender S, Booth DS, Bouget F, Bowler C, Breglia SA, Brownlee C, Burger G, Cerutti H, Cesaroni R, Chiurillo MA, Clemente T, Coles DB, Collier JL, Cooney EC, Coyne K, Docampo R, Dupont CL, Edgcomb V, Einarsson E, Elustondo PA, Federici F, Freire-Beneitez V, Freyria NJ, Fukuda K, García PA, Girguis PR, Gomaa F, Gornik SG, Guo J, Hampl V, Hanawa Y, Haro-Contreras ER, Hehenberger E, Highfield A, Hirakawa Y, Hopes A, Howe CJ, Hu I, Ibañez J, Irwin NAT, Ishii Y, Janowicz NE, Jones AC, Kachale A, Fujimura-Kamada K, Kaur B, Kaye JZ, Kazana E, Keeling PJ, King N, Klobutcher LA, Lander N, Lassadi I, Li Z, Lin S, Lozano J, Luan F, Maruyama S, Matute T, Miceli C, Minagawa J, Moosburner M, Najle SR, Nanjappa D, Nimmo IC, Noble L, Vanclová AMGN, Nowacki M, Nuñez I, Pain A, Piersanti A, Pucciarelli S, Pyrih J, Rest JS, Rius M, Robertson D, Ruaud A, Ruiz-Trillo I, Sigg MA, Silver PA, Slamovits CH, Smith GJ, Sprecher BN, Stern R, Swart EC, Tsousis AD, Tsylin L, Turkewitz A, Turnšek J, Valach M, Vergé V, Dassow Pv, Haar Tvd, Waller RF, Wang L, Wen X, Wheeler G, Woods A, Zhang H, Mock T, Worden AZ, Lukeš J, Genetic tool development in marine protists: emerging model organisms for experimental cell biology. *Nature Methods* 17(5). doi: [10.1038/s41592-020-0796-x](https://doi.org/10.1038/s41592-020-0796-x)

ctgctttctt ccttgctcct gcagtcgata ttgatggat ccgtgagcca gttgcagggt 1440
cccttatcta tggtaacaac atcatctctg gtgctgttat tctttcttct aacgcaatcg 1500
gtgtccattt ctatcctctc tgggaatccc ttggtcttga tgaatggctc tacaacgggtg 1560
gtacttatca gttcgttgtg ttccacttct tctcgggtgt ctgcgggttg atgggtcgtg 1620
aatgggaatt ctctatcgt ctcggtatgc gtccatggat cttcgtagca ttctccgctc 1680
caattgcggc agcagctgca gtgttcatta ttacccaat cggtcagggt tcttctccg 1740
atggtatgcc acttggtatc cagggtactt tcaactcat gctgtcttc caagctgagc 1800
acaagatcct catgcatcct ttccacattc ttggtgtagc aggtgtcttc ggtggttctc 1860
tcttctccgc aatgcacgggt tcttctgtat ccttctctct ccttcgagag actgctggtt 1920
ctgagtcctt taacaacgggt tacgtattcg gtcaagagga tgagacttat tccatctctg 1980
cagcacacgc atatttcgggt cgtcttatct tccagtatgc tggcttcaac aactcccgtt 2040
ctcttcactt ctctcttgca gcttgccctg taattgggtat ctggttcacc tctcttggtg 2100
ttgctactat ggcattcaac cttaacgggt tcaactcaa ccagtctatt cttgacgaat 2160
ctggtcacta cattaactct tgggctgata tctcaaccg tgctgatctt ggtatcgagg 2220
taatgcacga gcgtaacgct cataacttcc ctcttgatct tgcatagaat caacccttt 2280
atccctctct ttgggactct tagaacgact aggttctctg attaacgatg atgtaatat 2340
attaagaacg atggctagta ataatgcacg aatcactagt gaattcgcg cgccctgcag 2400
gtcgaccata tgggagagct cccaacgcgt tggatgcata gcttgagtat tctatagtgt 2460
cacctaaata gcttggcgta atcatgggtca tagctgttct ctgtgtgaaa ttgttatccg 2520
ctcacaattc cacacaacat acgagccgga agcataaagt gtaaagcctg ggggtgcctaa 2580
tgagtgcgct aactcacatt aattgcgttg cgctcactgc ccgctttcca gtcgggaaac 2640
ctgtcgtgcc agctgcatta atgaatcggc caacgcgcgg ggagaggcgg ttgctgatt 2700
ggcgctctt ccgcttctc gctcactgac tcgctgcgct cggctgttcg gctgcggcga 2760
gcggtatcag ctactcaaa ggccgtaata cggttatcca cagaatcagg ggataacgca 2820
ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa ggccgcgttg 2880
ctggcgtttt tccataggct ccgccccct gacgagcctc acaaaaatcg acgtcaagt 2940
cagagggtggc gaaacccgac aggactataa agataccagg cgtttcccc tggaagctcc 3000
ctcgtgcgct ctctgttcc gacctgccc cttaccggat acctgtccc ctttctccct 3060
tcgggaagcg tggcgcttct tcatagctca cgcttaggt atctcagttc ggtgtaggtc 3120
gttcgctcca agctgggctg tgtgcacgaa cccccgttc agcccgaccg ctgcgcctta 3180
tccggttaact atcgtcttga gtccaaccg gtaagacacg acttatcgcc actggcagca 3240
gccactggta acaggattag cagagcgagg tatgtaggcg gtgtacaga gttctgaag 3300
tgggtgccta actacggcta cactagaaga acagtatttg gtatctgcgc tctgtgaag 3360
ccagttacct tcggaaaaag agttggtagc tcttgatccg gaaacaaac caccgctggt 3420
agcgggtggt tttttgttg caagcagcag attacgcgca gaaaaaagg atctcaagaa 3480
gatccttga tctttctac ggggtctgac gctcagtga acgaaaactc acgttaaggg 3540
attttggtca tgagattatc aaaaaggatc ttacactaga tcttttaaa taaaaatga 3600
agttttaa atcaatctaaag tatatatgag taaacttgggt ctgacagtta ccaatgctta 3660
atcagtgagg cacctatctc agcgatctgt ctatttcgtt catccatagt tgctgactc 3720
cccgtcgtgt agataactac gatacgggag ggcttaccat ctggccccag tgctgcaatg 3780
ataccgcgag acccagctc accggtccca gatttatcag caataaacca gccagccgga 3840
agggccgagc gcagaagtgg tctgcaact ttatccgct ccatccagtc tattaattgt 3900
tgccgggaag ctagagtaag tagttcgcca gttaatagtt tgcgcaacgt tgttgccatt 3960
gtacaggga tcgtggtgac acgctcgtcg ttggtatgg cttcattcag ctccggttcc 4020

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Jun 26, 2019

Last Modified: Jun 26, 2019

PROTOCOL integer ID:
25114

```
caacgatcaa ggcgagttac atgatcccc atgttgtgca aaaaagcggg tagctccttc 4080
ggctctccga tcgttgtcag aagtaagttg gccgcagtgt tatcactcat gggtatggca 4140
gcactgcata attctcttac tgcatgccca tccgtaagat gcttttctgt gactgggtgag 4200
tactcaacca agtcattctg agaatagtgt atcgggcgac cgagttgctc ttgccggcg 4260
tcaatacggg ataataccgc gccacatagc agaactttaa aagtgtcat cattggaaaa 4320
cgttcttcgg ggcgaaaact ctcaaggatc ttaccgctgt tgagatccag ttcgatgtaa 4380
cccactcgtg cacccaactg atcttcagca tcttttactt tcaccagcgt ttctgggtga 4440
gcaaaaacag gaaggcaaaa tgccgcaaaa aagggaataa gggcgacacg gaaatgttga 4500
atactcatac tcttctttt tcaatattat tgaagcattt atcaggggta ttgtctcatg 4560
agcggataca ttttgaatg tatttagaaa aataaacaaa taggggttcc gcgcacattt 4620
ccccgaaaag tgccacctga tgcggtgtga aataccgcac agatgcgtaa ggagaaaata 4680
ccgcatcagg aaattgtaag cgtaatatatt ttgttaaaat tcgcgttaaa ttttggttaa 4740
atcagctcat ttttaacca ataggccgaa atcggcacaaa tcccttataa atcaaaagaa 4800
tagaccgaga taggggtgag tgttgttcca gtttgaaca agagtccact attaaagaac 4860
gtggactcca acgtcaaagg gcgaaaaacc gtctatcagg gcgatggccc actacgtgaa 4920
ccatcacctt aatcaagttt tttggggtcg aggtgccgta aagcactaaa tcggaaccct 4980
aaagggagcc cccgatttag agcttgacgg ggaaagccgg cgaacgtggc gagaaaggaa 5040
gggaagaaag cgaaaggagc gggcgctagg gcgctggcaa gtgtagcggg cacgctgcgc 5100
gtaaccacca caccgcccgc gcttaatgcg ccgctacagg gcgctccat tcgccattca 5160
ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggcctc ttcgctatta cgccagctgg 5220
cgaaaggggg atgtgtgca aggcgattaa gttgggtaac gccaggggtt tccagtcac 5280
gacgttgtaa aacgacggcc agtgaattgt aatacgactc actata 5326
```

To be completed in advance

- 1 Prepare artificial minicircle (pAmpPSBA) at 1 mg ml^{-1} . pAmpPSBA contains a bacterial origin of replication and an ampicillin resistance marker, so transformation and growth using a suitable *E. coli* strain, followed by a miniprep, is the simplest method to achieve this. pAmpPSBA also contains a linearised minicircle containing the core region and a modified form of PSBA to confer resistance to the herbicide Atrazine.
- 2 Grow wild type *Amphidinium carterae* in *f/2* medium to early log-phase.
- 3 Prepare *f/2* plates (1.5% agarose in *f/2* medium) and leave to dry for 3-4 hours before storing at 4°C . (This drying step is not strictly necessary, but allows the cells to be transferred to the plates much more quickly, which reduces the subsequent time between plating and shooting).

- 4 Autoclave stopping screens, macrocarriers and 1,550 PSI rupture disks (all supplied by BioRad).

Cell Preparation

- 5 Count the cells. For each plate to be transformed (including necessary controls), between $1-5 \times 10^7$ cells are needed. Harvest an appropriate volume for the number of plates to be shot.
- 6 Centrifuge the cells at low g ($\sim 1,500g$) and resuspend the pellet in a very small volume ($\sim 500\mu l$) of fresh *f/2* medium.
- 7 Spot the cells onto the centre of the *f/2* plate dropwise. Leave to dry. Cells should form a circle of no more than 2cm diameter to maximise the number of cells in the region bombarded by gold particles. Note that *Amphidinium* does not survive long term on solid plates, so aim to shoot as soon after drying as practical.

DNA Preparation

- 8 *DNA Precipitation is carried out using Seashell Technology's "DNAdeI™ gold carrier" delivery system. 550nm gold particles are used throughout.*
- 9 Sonicate the DNAdeI™ gold particles (supplied at $50mg\ ml^{-1}$) to dissociate aggregates. 1-2 minutes should normally be sufficient, but the presence of aggregates can be detected by eye.
- 10 Dilute the gold particles in the supplied 'binding buffer'^{*} to a final concentration of $30mg\ ml^{-1}$. Use 0.5mg gold per plate for transformation. (*e.g. 30ul gold particles and 20ul binding buffer for 3 plates*).

* Supplied by Seashell Technology with the DNAdeI™ gold carrier kit.

- 11 Add artificial minicircle to gold particles at a ratio of 2.5µg DNA per mg gold. Using very concentrated DNA stock keeps volume low and allows for high concentrations of DNA and gold to maximise DNA precipitation onto the gold particles.

DNA Preparation

- 12 Vortex the DNA-gold particle mixture briefly.
- 13 Add an equal volume of 'precipitation buffer'* to the DNA-gold particle mix and vortex briefly. Allow to stand for 3 minutes.

* Supplied by Seashell Technology with the DNAdeI™ gold carrier kit.
- 14 Centrifuge at 10,000g for 10s to pellet the gold particles.
- 15 Remove the supernatant and add 500µl ice cold 100% ethanol. Vortex briefly.
- 16 Centrifuge at 10,000g for 10s to pellet the gold particles.
- 17 Remove the supernatant. Add 10µl ice cold 100% ethanol for each 0.5mg gold in the preparation. (*e.g. add 30µl for the 1.5mg gold prepared for shooting 3 plates*).
- 18 Briefly sonicate the solution to minimise aggregation and allow for reliable delivery. Again, 1-2

minutes will normally be sufficient, but sonication should continue until even suspension of the gold particles is achieved.

Bombardment Preparation

- 19 Wash the macrocarriers in 70% ethanol and allow to dry.
- 20 Wash each rupture disk and macrocarrier in isopropanol and allow to dry.
- 21 Transfer a 10µl aliquot of the prepared gold particles (see above) to the centre of each macrocarrier. Allow to dry.

Bombardment

- 22 *Bombardment is carried out in a Biorad 'Biolistic PDS-1000/He' device using Biorad stopping screens, macrocarriers and rupture disks.*
- 23 Shooting is carried out using 1,550 PSI rupture disks. (These show higher rates of transformation than 1,100 or 1,350 PSI disks.)
- 24 Shooting is carried out in vacuum at ≥ 25 in. Hg.
- 25 Plates for transformation are placed in the middle slot in the Biolistics device (*i.e. the highest possible position for a plate. Higher slots are occupied by the rupture disk and macrocarrier*).

Post Shooting

- 26 *Cells should be resuspended as soon as possible after shooting to minimise cell death.*
- 27 Resuspend all cells from each plate in 5ml fresh *f/2* medium. As many cells as possible should be washed off the surface of the plate and collected in the desired vessel for growth.
- 28 Leave to recover overnight.
- 29 Dilute the cells as and apply selection criteria. (*e.g. each plate's cells are diluted to a final volume of 50ml with 2ug ml⁻¹ Atrazine*).
- 30 Monitor growth by microscopy every 1-2 days. Untransformed *Amphidinium carterae* are typically dead at 10-12 days post-application of Atrazine.