VERSION 1

APR 02, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.29bgh2n

External link:
www.caboscience.org

Protocol Citation: Mark Vellend, Sabine St-Jean, Anna L Crofts 2020. Canopy Trees Survey Protocol - Forests of Southern Québec.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.29bgh2n>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development
 We are still developing and optimizing this protocol

Created: May 22, 2019

Last Modified: Apr 02, 2020

PROTOCOL integer ID:
 23555

Keywords: Canadian Airborne Biodiversity Observatory

🌍 Canopy Trees Survey Protocol - Forests of Southern Québec V.1

📁 In 1 collection

Mark Vellend¹, Sabine St-Jean¹, Anna L Crofts¹

¹Université de Sherbrooke

Canadian Airborne Biodiversity Observatory
 Tech. support email: jocelyne.ayotte@umontreal.ca

Sabine St-Jean
 Université de Sherbrooke

ABSTRACT

Here, we describe the standardized protocol used by the [Canadian Airborne Biodiversity Observatory](#) (CABO) to conduct ground-based surveys of canopy trees at forested sites: Parc national du Mont-Mégantic and Mont-Saint-Bruno, Québec. Ground-based canopy tree surveys were conducted in circular sample plots of 15 m radius, with plots distributed across gradients of interest (e.g., species composition, elevation, slope orientation, and logging history), and recorded in the *Plots* app in *Fulcrum*. For each sample plot, precise GPS coordinates of plot centres were taken, as well as slope angle and aspect. Within each sample plot, all trees that met the selection criteria were identified to species and geolocated relative to the plot center using the [Postex system](#) ([Haglöf Sweden AB, Långsele, SE](#)). In addition, height, diameter at breast height (DBH), canopy area, and crown dominance class were estimated for all selected trees. All data were entered into the *Vegetation Surveys: Large Trees* app in *Fulcrum*. In Parc national du Mont-Mégantic, for any tree species that had fewer than 10 individuals assigned as 'Dominant' or 'Co-dominant' (crown dominance classes), across all sample plots, additional individuals found outside sample plots were geolocated and measured to bring the sample size to 10 (data recorded in the *Plants* app in *Fulcrum*). The ground-based canopy tree surveys were conducted in order to be paired with remotely-sensed aerial hyperspectral imagery.

ATTACHMENTS

Mégantic_map_rare_trees.pdf	Identification PICEA (Rubens _ Mariana).docx	Sample_notice_park_rangers.txt	Spruce.pdf	MtMegMap_01.pdf	MtMegMap_02.pdf
MtMegMap_03.pdf	Leaf Collection Parking.pdf	Quick ID Guide (incomplete) - Mont Mégantic.docx	CABO_species_list_per_site_2019.xlsx		

GUIDELINES

OVERVIEW OF OBJECTIVES AND GENERAL METHODOLOGY

Ground-based forest surveys for CABO serve two main goals:

(1) Permitting calibration/validation for identifying tree species from airborne sensor data.

- This requires mapped locations of the crowns of multiple individuals of as many tree species as possible.
- Individuals should occur in a variety of conditions relevant to the signal received on the airborne sensor (e.g., aspect, slope) and should represent different crown sizes.

(2) Permitting field-based tests – and validation of airborne-based tests – of how forest tree diversity and composition varies according to predictor variables of interest (e.g., elevation and logging history).

- This requires plot-based sampling in which each species present is quantified with respect to aspects of abundance (# stems > threshold DBH; location of those stems; individual DBH measurements, etc.).
- Fulfilling objective 2 contributes towards fulfilling objective 1, but probably not to the point that one sampling scheme completely fulfills both objectives. Specifically, rare species at the site level (e.g., across Mont-Mégantic) are unlikely to be represented by many individuals in a set of plots chosen to cover gradients of interest.

MATERIALS

STEP MATERIALS

Equipment	
new equipment	NAME
CAT S41 fieldwork cellphone	BRAND
-	SKU
https://www.catphones.com/en-us/cat-s41-smartphone/	LINK

Equipment	
new equipment	NAME
3 16m long visible string	BRAND
-	SKU

Equipment	
new equipment	NAME
Rebar	BRAND
-	SKU
https://www.homedepot.ca/product/peak-products-10mm-rebar-3m-10feet-black-steel/1000762764?eid=PS_GOOGLE_In-Store%20%7C%20DSA%20%7C%20All%20Pages_All%20Pages_b_DYNAMIC%20SEARCH%20ADS_dsa-19959388920&gclid=EAlaIqobChMI2OzUkpmF5AlVwf_jBx3RTwnzEAAYASAAEgKpev	LINK
30 pieces of 90 cm	SPECIFICATIONS

Equipment	
new equipment	NAME
Rebar Safety Cap	BRAND
-	SKU
https://www.homedepot.com/p/3-8-Rebar-Safety-Cap-14980/202322846	LINK
Orange	SPECIFICATIONS

Equipment	
new equipment	NAME
Laser Geo	BRAND
-	SKU
http://www.haglofcg.com/index.php/en/products/instruments/height/554-laser-geo	LINK

Equipment	
new equipment	NAME
Trimble Catalyst GPS, NTRIP precision subscription	BRAND
-	SKU

Equipment	
Duct Tape	NAME
-	BRAND
-	SKU
-	LINK

Equipment	
Transect Tape	NAME
-	BRAND
-	SKU
-	LINK

Equipment	
SYSTEM 2 DP Postex with DP II Caliper and L5 Laser Art no 15-103-1041	NAME
-	BRAND
-	SKU
http://www.haglofsweden.com/index.php/en/products/instruments/calipers/496-dp-postex	LINK

SAFETY WARNINGS

- ! Especially at Mont-Mégantic, terrain in places is steep and rocky, with high tree density. Field workers need to travel with care, and should not work alone, especially in more remote and steep-sloped sites.

BEFORE START INSTRUCTIONS

The *Fulcrum* apps that will be used during this protocol – *Plots*, *Vegetation Survey: Large Trees*, and *Plants* – require the selection of a project and a site.

SITE SPECIFIC INFORMATION

Parc national du Mont-Mégantic

- Project: "2019-Crofts-PhD-UdeS".
- Site: "MtMeg-1".
- Address: For plots in the Mont-Saint-Joseph area, park at 4491 Chemin de la Montagne, Val-Racine, QC G0Y 1E1. For plots in the Franceville area, park in the Franceville parking lot.
- Project Leaders: Anna Crofts and Mark Vellend.
- Local crew for 2019: Anna Crofts, Sabine St-Jean, Guillaume Tougas, Charlotte Taillefer, Florence Normand-Boisseau and Juliette Frappier-Lecomte.
- Park contacts: Camille-Antoine Ouimet, Head of Conservation, Maintenance and Infrastructures (ouimet.camilleantoine@sepaq.com) and Mélina Dubois-Verret, Partnership Consultant (duboisverret.melina@sepaq.com).
- Notice: The park patrol officers need to be notified via email on the same day or before of details about the upcoming tree surveys (where, when, how many people; see the attached "Sample_notice_park_rangers.txt" file under the "Abstract" tab of this protocol). A research permit has to be carried by each team during the surveys.
- Number of plots: 30 in 2019.
- Site gradients of interest: species composition, elevation, slope orientation, and logging history.
- Conservation value: high, but trampling is only a problem in the wet areas.
- Magnetic declination: about -15° 21' (West).

/!\ Magnetic declination changes with time, and has to be verified shortly before fieldwork on <http://www.magnetic-declination.com/>

- Plant ID resources:
 - Arbres et plantes forestières du Québec et des Maritimes, Michel Leboeuf, Éditions Michel Quintin, 2016.

Parc national du Mont-Saint-Bruno

- Project: "2019-MontSaintBruno".
- Site: "MSB_forest_crew".
- Address: Parc national du Mont-Saint-Bruno, Rang des Vingt Cinq Est, Saint-Bruno-de-Montarville, QC J3V 4P6.
- Project Leaders: Étienne Laliberté and Mark Vellend.
- Local crew for 2019: Sabine St-Jean, Anna Crofts and Éloïse Lessard.
- Park contact: Nathalie Rivard, Head of Conservation and Research (rivard.nathalie@sepaq.com).
- Notice: Prior to the inventories, the dates and times when the crew will enter and leave the park need to be communicated to Nathalie Rivard. A research permit delivered by the park authorities has to be carried all at times. A special authorization to drive the research vehicles inside the park is needed and has to be shown on the car dashboard or windows.
- Number of plots: 8 in 2019.
- Site gradient/target: The goals of this site are 1) to extend the altitudinal gradient at Mont-Mégantic

and to sample tree species that are rare or absent from Mont-Mégantic, and 2) to maximize diversity among plots. Data from these two forested sites will be combined for analysis.

- Conservation value: high.
- Magnetic declination: about -14° 26' (West).

/!\ Magnetic declination changes with time, and has to be verified shortly before fieldwork on <http://www.magnetic-declination.com/>

- Plant ID resources:

- Arbres et plantes forestières du Québec et des Maritimes, Michel Leboeuf, Éditions Michel Quintin, 2016.

Fieldwork Preparation

1 Undergo site reconnaissance. Select plot locations as follows:

- To fulfill the needs of locality-specific research questions, plots should span the gradients of interest (e.g., elevation and logging history), with relatively even coverage at different positions along the gradients. The aim is to maximize statistical power in tests of the basic form: community.property $\sim X_1 + X_2 \dots X_n$, in which $X_1 \dots X_n$ are plot-level variables that might explain variation in community properties across the gradients of interest.
- To fulfill CABO-wide needs for the calibration of sensor data, plots (or individual trees) should be sampled to ensure that each tree species is represented by at least 10 individuals considered Dominant or Co-dominant (see "Crown Class" distinctions below).
- The aim is to have a minimum of 30 plots per site.

2 To measure true north (vs magnetic north), the Laser Geo needs to be setup with the local magnetic declination. Find the updated magnetic declination of your field site by locating it on <http://www.magnetic-declination.com/>. This has to be done shortly before fieldwork, as magnetic declination changes with time. Enter this value in the Laser Geo under Settings → Magnetic declination.

Editing Open Vegetation Survey x Magnetic Declination x +

www.magnetic-declination.com

File manager - My files

Find the magnetic declination at your location

Find your location or click on the map to display your magnetic declination [Browse countries](#) [What is Magnetic Declination?](#)

Sites of Interest
[Cosmos Plus!](#)
[Live Meteors](#)
[Satellite tracking](#)
[Radio Astronomy](#)

Find your location

[Browse countries](#)
 No match.
 Try again or click on the map for your location

360° Earth Map Live - Satellite Map Street View
 Discover The Beauty Of The World. streetview-360.com

360° Earth Map Live
 streetview-360.com
Satellite Map Street View
 Discover The Beauty Of The World.

You clicked here:
 Latitude: 45° 37' 31.7" N
 Longitude: 73° 28' 4.4" W
POINTE-AUX-TREMBLES
Magnetic Declination: -14° 22'
 Declination is **NEGATIVE (WEST)**
 Inclination: 69° 55'
 Magnetic field strength: 53620.8 nT

Equipment

new equipment

NAME

Laser Geo

BRAND

-

SKU

<http://www.haglofco.com/index.php/en/products/instruments/height/554-laser-geo>

LINK

Plot Creation and Measurements

- Establish the plot in the field by permanently marking the plot center with rebar (90 cm long) topped with an orange safety cap. Be sure the rebar is inserted into the ground deeply enough to be sturdy. Label the cap with the plot number and mark the rebar with a piece of duct-tape labeled with: CABO - Plot number - Initials of the people establishing the plot - Date.

Equipment

new equipment

NAME

CAT S41 fieldwork cellphone

BRAND

-

SKU

<https://www.catphones.com/en-us/cat-s41-smartphone/>

LINK

Equipment

new equipment

NAME

Rebar

BRAND

-

SKU

https://www.homedepot.ca/product/peak-products-10mm-rebar-3m-10feet-black-steel/1000762764?eid=PS_GOOGLE_In-Store%20%7C%20DSA%20%7C%20All%20Pages_All%20Pages_b_DYNAMIC%20SEARCH%20ADS_dsa-19959388920&gclid=EAlaIqobChMI2OzUkpmF5AIVwf_jBx3RTwnzEAAYASAAEgKpev

LINK

30 pieces of 90 cm

SPECIFICATIONS

Equipment

new equipment

NAME

Rebar Safety Cap

BRAND

-

SKU

<https://www.homedepot.com/p/3-8-Rebar-Safety-Cap-14980/202322846>

LINK

Orange

SPECIFICATIONS

Equipment

Duct Tape

NAME

-

BRAND

-

SKU

4 Establish the plot in *Fulcrum*.

Note

Lots of areas of Parc national du Mont-Mégantic are not covered by cellular reception. Plots can be created in *Fulcrum* offline but be sure to sync as soon as possible once back in service.

Sync by opening the *Fulcrum* app on your phone and clicking on the 2 circular arrows icon.

The two circular arrows will turn while synchronizing, and stop turning once the synchronization is complete.

Equipment

new equipment

NAME

CAT S41 fieldwork cellphone

BRAND

-

SKU

<https://www.catphones.com/en-us/cat-s41-smartphone/>

LINK

4.1 From the *Fulcrum* main menu, go to the *Plots* app and then access the Records.

The screenshot shows the Fulcrum mobile app interface. At the top, there's a header with the Fulcrum logo and navigation icons. Below the header is a search bar with the text "Type to filter your apps - 13 total". To the right of the search bar are "Exports" and "Imports" links. The main content area displays a list of apps. The first app is "Vegetation Surveys: Herbs and Shrubs" with 68 records. The second is "Subplots" with 315 records. The third is "Plots", which is highlighted with a red box, and it has 102 records. The fourth is "Sites" with 62 records. Each app entry includes a small image, a description, and a "Last activity 3 days ago" timestamp. On the right side of the screen, there's a vertical list of recent submissions. The first submission is from Sabine St-Jean, who submitted 4 records in "Vegetation Surveys: Herbs and Shrubs". The second is also from Sabine St-Jean, who submitted 12 records in "Subplots". The third is from Sabine St-Jean, who submitted 2 records in "Plots". The fourth is from Sabine St-Jean, who submitted 2 records in "Sites". The fifth is from Etienne Laliberté, who submitted 1 record in "Vegetation Surveys: Herbs and Shrubs". The sixth is from Sabine St-Jean, who submitted 1 record in "Vegetation Surveys: Herbs and Shrubs".

Fulcrum CABO ?

Plots
Small areas of well-defined shape/size, within which environmental conditions are relatively homogenous. Example: forest inventory plots.
Last activity 3 days ago

Activity

User	Action	Count	Time	Created	Updated	Deleted
Sabine St-Jean	submitted	2 records	2 days ago	2 created	0 updated	0 deleted
Sabine St-Jean	submitted	1 record	3 days ago	0 created	1 updated	0 deleted
Sabine St-Jean	submitted	1 record	3 days ago	1 created	0 updated	0 deleted
Sabine St-Jean	submitted	1 record	5 days ago	0 created	1 updated	0 deleted
Sabine St-Jean	submitted	1 record	24 days ago	1 created	0 updated	0 deleted

Records View/Edit Data

Importer Import Data

Exporter Export Data

4.2 Create a new record.

Fulcrum Plots + Search your data 75 records Download Data

4.3 Under Plots → Metadata and Plots → Study Site, respectively select the appropriate Project and Site (see Site Specific Information).

Plots 50120050, P1_Pine, MSB_forest_crew

Project 2019-MontSaintBruno

Study Site

Site * MSB_forest_crew

4.4 Under Plots → Plot, assign the plot a Plot Field ID, and indicate the names of the team members (one or more) creating the plot as well as the date of plot creation.

Note

The default entries are the name of the person logged into *Fulcrum* and the current date.

✕	Plots	✎	✓
50120050, P1_Pine, MSB_forest_crew		📍	☰
🕒	Plot		
Plot ID	50120050		ℹ
Plot Field ID	P1_Pine		ℹ
First Established By	• Anna Crofts, Sabine St-Jean		ℹ
Date First Established	• September 23, 2019		ℹ

- 4.5 Under Plots → Location, georeference the plot location approximately by clicking Update Location with GPS on your field cellphone (connected to the Trimble GPS or not) – coordinates will automatically be imported to the Latitude and Longitude fields.

✕	Plots	✎	✓
50120050, P1_Pine, MSB_forest_crew		📍	☰
🕒	Location		
Latitude (degrees)	45,5526776		ℹ
Longitude (degrees)	-73,3188041		ℹ
Horizontal Accuracy (m)	3,9		ℹ
Altitude (m)	159		ℹ
Vertical Accuracy (m)			ℹ
Current GPS Information			
Current GPS Information. Your GPS is not accessible. No Location Available			
Update Location with GPS	Update Location with GPS		

Note

During the growing season, under a closed canopy, GPS precision will be ~ 1 to 5 m, using the Trimble GPS or your field cellphone. This is okay when establishing plots but in the autumn once the leaves have dropped, plots will need to be revisited and location updated to obtain < 1 m, ideally < 30 cm, precision.

In 2019, the Trimble GPS was used when first establishing the plots, but the field cellphone would have resulted in an equivalent precision (> 1 m), because of the closed canopy. All plots have been or are to be revisited after leaf fall in the autumn or winter 2019-2020 to obtain more precise coordinates (< 1 m).

4.6 Under Plots → Plot Shape and Size, enter the Plot Shape (Circular), and Plot Diameter (30 m).

The screenshot shows a mobile application interface for managing plots. At the top, there's a header bar with a red 'X' icon, the title 'Plots', and two icons: a red pencil and a green checkmark. Below this is a list item for a plot with the identifier '50120050, P1_Pine, MSB_forest_crew'. The 'Plot Shape and Size' section is expanded, showing two input fields: 'Plot Shape' with the value 'circular' and 'Plot Diameter (m)' with the value '30'. Both input fields are highlighted with red rectangular boxes. There are also information icons (i) next to each field.

Note

The area of standard forest inventory plots is approximately 400m^2 ; this contains too few canopy trees for CABOs goals (i.e., community composition of canopy trees). The Postex system (see below and the [Postex System User Guide](#)) has a range of up to 30 to 40 m, however due to the forest density across Mont-Mégantic such range is not possible. A plot diameter of 30 m (15 m Postex range as radius) results in a plot area of approximately 707m^2 ; an area that is more likely to capture canopy tree community properties than standard forest inventory plots and still allows for use of the Postex system.

4.7 Under Plots → Optional Plot Info, take a photo of the plot (Plot Photos) and, if needed, add Plot Remarks (i.e., the reason why the plot was selected, e.g., contains a given rare species).

✕

Plots

✎

✓

50120050, P1_Pine, MSB_forest_crew

🔍

☰

🕒

Optional Plot Info

Plot Remarks

ℹ

Plot Photos

ℹ

5 Take plot-level measurements (e.g., slope and aspect).

Equipment		
Transect Tape		NAME
-		BRAND
-		SKU

Equipment		
new equipment		NAME
Laser Geo		BRAND
-		SKU
http://www.haglofco.com/index.php/en/products/instruments/height/554-laser-geo		LINK

5.1 Using the Angle and Compass functions of the Laser Geo, measure slope angle and aspect along two vectors per plot:

- 1) parallel to the steepest slope (shown in red in the figure below), and
- 2) any other secant vector (shown in white), crossing the first one.

Take the slope angle and aspect measurements between two researchers who are standing along the vectors 7.5 m apart. The angle is in the direction from the higher position to the lower position along the slope.

Figure showing an example of the two slope vectors. The steepest one is illustrated in red, and the secant one in white.

Note

For the slope angle measurements, the researcher using the Laser Geo should aim at the point equivalent to their eye-level on the other researcher.

Note

For Compass measurements, AZ (azimuth) denotes bearing (i.e., compass degrees).

5.2 Under Plots → Optional Plot Info, save the slope angles (Slope 1 and Slope 2) and aspects (Bearing 1 and Bearing 2).

Plots

50120050, P1_Pine, MSB_forest_crew

Plot Audio Remarks

Slope 1 (°)	-25,2
Bearing 1 (°)	282,7
Slope 2 (°)	-19,3
Bearing 2 (°)	223,9

5.3 Save the newly created plot and its associated plot-level data.

Plots

50120050, P1_Pine, MSB_forest_crew

6 Divide the plot in sampling sections to help keep track of your progression within the survey plot.

Equipment		
new equipment		NAME
3 16m long visible string		BRAND
-		SKU

Three 16m long visible strings (shown as the white lines in this figure) are installed - starting from the plot center and going towards its edges - in order to create different sampling sections: 1) what has already been surveyed (shown in blue), 2) what is currently surveyed (shown in orange), and 3) what is left to survey (shown in grey). When a section is completed, move to the adjacent one. Once two adjacent sections are completed, remove the string separating them in order to combine them. Use the free string to delineate the new adjacent area to survey.

To avoid forgetting trees, survey each section going from the plot center to its edges, moving from one delineating string to the other in a regular zigzag pattern.

Creation of the Vegetation Surveys Records

- 7 From the *Fulcrum* main menu, go to the *Vegetation Surveys: Large Trees* app and create a new record.

- 7.1 Under Vegetation Surveys: Large Trees → Metadata, select the current Project (see Site Specific Information). Under Vegetation Surveys: Large Trees → Sampling Plot, select the current Plot (as created in step 4), and answer "No" to Trees Measured in a Subplot?

- 7.2 Under Vegetation Surveys: Large Trees → Survey Event, indicate the names of the team members (one or more) doing the vegetation survey as well as the date of the survey.

Vegetation Surveys: Large Trees
1 record, September 23, 2019

Survey Event			
Surveyed By	• Anna Crofts, Sabine St-Jean
Date Surveyed	• September 23, 2019
Event Remarks
Audio Remarks

Note

The default entries are the name of the person logged into *Fulcrum* and the current date.

- 7.3 Under Vegetation Surveys: Large Trees → Survey Methodology, answer "X-Y position from plot center" to Tree Positioning Method.
For Tree Size Measurements, select the fields "DBH", "Height", "Crown class", and "Crown diameter".

Vegetation Surveys: Large Trees
1 record, September 23, 2019

Survey Methodology			
Tree Positioning Method	X-Y position from plot center		
Tree Size Measurements	DBH, Height, Crown class, Crown diameter

- 7.4 Under Vegetation Surveys: Large Trees → Survey → Tree Taxa Present, select "Items", then (+), then "Select", and enter the Latin names of all tree species present in the plots. Species are entered one at a time, once one is entered you are returned to the (+) step. This process selects the species you are entering from the built-in complete VASCAN species list, thus avoiding mistakes in the name of species.

Note

If you find additional species when sampling, return to the the Vegetation Surveys: Large Trees → Survey → Tree Taxa Present and enter new species as instructed above. Before continuing with the survey be sure to save the changes if you have internet access.

✕
Vegetation Surveys: Large Trees
✎
✓

1 record, September 23, 2019
🔗
☰

🕒
Survey Methodology

Tree Positioning Method
X-Y position from plot center

Tree Size Measurements
DBH, Height, Crown class, Crown diameter
?

🕒
Survey

📁
Tree Taxa Present
8 Items

✕
Vegetation Surveys: Large Trees *(editing)*
+
✓

◀
1 record, September 23, 2019 / Tree Taxa Present (8 Items)

✕
Acer saccharum Marshall
View >

✕
Pinus strobus Linnaeus
View >

✕
Quercus rubra Linnaeus
View >

✕
Tsuga canadensis (Linnaeus) Carrière
View >

✕
Fagus grandifolia Ehrhart
View >

✕
Tree Taxa Present *(editing)*
✓

Untitled

🕒
Metadata

Duration
52 seconds (First Creation)

Filter: Geography

?

VASCAN Filter: Growth Form

?

VASCAN Taxon
•
Select
?

Identification Qualifier

?

Identification Remarks

?

Note

In some cases, the Latin names in VASCAN and in field guides might differ for a given species. VASCAN is to be considered more up to date. If you run into a species identified from a field guide that doesn't seem to be in the VASCAN drop-down list, use an internet connection to look up synonyms on the VASCAN website and obtain the accepted species name.

The screenshot shows the Canadensys VASCAN website interface. At the top is the Canadensys logo and navigation tabs: explorer, repository, tools, and vascan. The main content area displays the entry for *Betula alleghaniensis* Britton. It includes a description: "ACC *Betula alleghaniensis* Britton is an accepted species name sensu FNA Ed. Comm., 1997." Below this is the "Hybrid parent of" section, which lists "ACC *Betula xpurpusii* C. Schneider." The "Vernacular names" section lists various names in French and English, each with a source. The "Synonyms" section lists several synonym names and their sources.

Vernacular names	Source
ACC bouleau jaune	Darbyshire et al., 2000
SVN bouleau des Alléghany	Marie-Victorin, 1995
SVN bouleau merisier	Louis-Marie, 1953
SVN merisier	Marie-Victorin, 1995
SVN merisier blanc	Louis-Marie, 1953
SVN merisier jaune	Louis-Marie, 1953
ACC yellow birch	Farrar, 1996
SVN swamp birch	Farrar, 1996

Synonyms	Source
SVN <i>Betula alleghaniensis</i> var. <i>fallax</i> (Fassett) Brayshaw	FNA Ed. Comm., 1997
SVN <i>Betula alleghaniensis</i> var. <i>macrolepis</i> (Fernald) Brayshaw	FNA Ed. Comm., 1997
SVN <i>Betula lutea</i> F. Michaux nom. illeg.	FNA Ed. Comm., 1997
SVN <i>Betula lutea</i> F. Michaux var. <i>lutea</i>	TROPICOS

Postex Setup

- 8 Setup the Postex system, please refer to the [Postex System User Guide](https://dx.doi.org/10.17504/protocols.io.29bgh2n).

Equipment

SYSTEM 2 DP Postex with DP II Caliper and L5 Laser Art no 15-103-1041	NAME
-	BRAND
-	SKU
http://www.haglofsweden.com/index.php/en/products/instruments/calipers/496-dp-postex	LINK

Equipment

new equipment	NAME
Laser Geo	BRAND
-	SKU
http://www.haglofcg.com/index.php/en/products/instruments/height/554-laser-geo	LINK

Equipment

Transect tape	NAME
-	BRAND
-	SKU

Survey Trees within each Plot

- 9 Survey all trees within each plot that meet the following selection criteria:
 - i) All trees with a crown canopy class of "intermediate", "co-dominant", or "dominant" (see step 9.6 for canopy class designations)
 - ii) Trees in the crown canopy class "suppressed" if DBH $\geq$ 9 cm.

For every tree that meets the selection criteria, identify it to species, measure DBH, position in the plot, height and canopy area, and assign a canopy class (see steps 9.1 to 9.9 for details).

Equipment	
new equipment	NAME
Laser Geo	BRAND
-	SKU
http://www.haglofcg.com/index.php/en/products/instruments/height/554-laser-geo	LINK

Equipment	
new equipment	NAME
CAT S41 fieldwork cellphone	BRAND
-	SKU
https://www.catphones.com/en-us/cat-s41-smartphone/	LINK

Equipment	
new equipment	NAME
Trimble Catalyst GPS, NTRIP precision subscription	BRAND
-	SKU

Equipment	
System 2 DP Postex with DP II Caliper and L5 Laser Art no 15-103-1041	NAME
Haglof Sweden	BRAND
-	SKU
http://www.haglofsweden.com/index.php/en/products/instruments/calipers/496-dp-postex	LINK

- 9.1** Under Vegetation Surveys: Large trees → Surveyed trees, select (+) to begin a new entry. Identify individual to species and record it under Taxonomic Identity → Tree Taxon –only the taxa entered in step 7.4 will be available to

choose from.

Note

- If needed, add "Identification Remarks" in the appropriate entry box in *Fulcrum*. This optional field has not been used in the 2019 surveys.
- If there is any ambiguity in species, make a note of this in the "Identification Qualifier" entry box in *Fulcrum*.
- All VASCAN recognised tree hybrids are available.

✕ **Vegetation Surveys: Large Trees** (editing)

1 record, June 25, 2019 / Surveyed Trees (38 Items)

✕ **Abies balsamea (Linnaeus) Miller** View >

✕ **Surveyed Trees** (editing)

Acer saccharum Marshall

Metadata

Duration	1 minute, 39 seconds (First Creation)
Location	0.000000, 0.000000

Taxonomic Identity

Tree Taxon • Acer saccharum Marshall

- 9.2** Measure the tree's DBH, to the nearest millimeter, using the Postex system's SmartScale caliper and DP II handheld device. Record DBH under Vegetation Surveys: Large trees → Surveyed trees → Size Measurement(s) → DBH (cm). If an individual has more than one DBH, use the additional DBH field(s).

✕ **Surveyed Trees**

Acer saccharum Marshall

Taxonomic Identity

Tree Taxon • Acer saccharum Marshall

Size Measurement(s)

DBH (cm)	• 29,7
DBH 2 (cm)		

Diameter at breast height (DBH) is measured 1,30 m above the highest level of the ground around the tree, according to the "Normes d'inventaire forestier (2016)". We consider a tree to have multiple DBHs if different trunks are attached to the same base.

- 9.3** Estimate the tree's position in the plot, using the Postex system. Record the coordinates (the X and Y values, which are relative to the plot center) under Vegetation Surveys: Large trees → Surveyed trees → Location –there is no

need to record the 3 distance measurements (d1, d2, and d3).

Surveyed Trees
Acer saccharum Marshall
Location			
X Position (m)	2,96
Y Position (m)	4,06
Distance from center (m)			
Compass bearing (°)			

As the plot center's X-Y coordinates are (0, 0), X and Y Position values will each be negative for one half of the plot.

- 9.4** If the Postex system is unable to take a distance measurement (e.g., tree density is too high), use the Laser Geo to measure Distance from center and Compass bearing. To do so, aim the Laser Geo from the DBH of tree* towards the center of the Postex tripod and use the DME function to measure distance from center (m) and Compass function to get the compass bearing (°). Record these values under Vegetation Surveys: Large trees → Surveyed trees → Location.

*In the middle of the trunk laterally, with the Laser Geo resting on the side of the tree to be able to aim. In 2019, we did not take into account the radius of the tree as, in dense forests where the Postex system was unable to work, most trees had a small DBH (< 20 cm).

Surveyed Trees
Acer saccharum Marshall
Location			
X Position (m)	2,96
Y Position (m)	4,06
Distance from center (m)			
Compass bearing (°)			

- 9.5** Estimate the tree's Height, to the nearest 10 cm, using the Height 3P function of the Laser Geo. Record height under Vegetation Surveys: Large trees → Surveyed trees → Size Measurement(s) → Height (m).

Note

Height 3P calculates height using:

- 1) distance to tree (at eye-level),
- 2) angle to tree base, and
- 3) angle to tree top.

Because of the two angle measurements, this function does not require researcher to be on level ground.

To obtain correct measurements, the observer has to be about 10 m away from the tree trunk.

Surveyed Trees

Acer saccharum Marshall

Taxonomic Identity

Tree Taxon

Acer saccharum Marshall

Size Measurement(s)

DBH (cm)

29,7

DBH 2 (cm)

Height (m)

18,7

- 9.6** Assign the tree a Crown Class of "Dominant", "Co-dominant", "Intermediate", or "Suppressed" (as defined below). Record the assigned crown class under Vegetation Surveys: Large trees → Surveyed trees → Size Measurement(s) → Crown Class.

Note

Crown class should be determined based on trees immediately surrounding* the individual measured (not at a per plot level).

*The immediate neighbours being all the trees (from all crown classes) whose canopy has a common edge with the canopy of the tree of interest.

Crown class	Code	Description
Dominant	D	Trees with crowns that extend above the general level of the trees immediately around the measured trees. They are somewhat taller than the co-dominant trees, and have well-developed crowns, which may be somewhat crowded on the sides, receiving full light from above and partly from the side.
Co-dominant	C	Trees with crowns forming the general level of the trees immediately around the measured trees. The crown is generally smaller than those of the dominant trees and is usually more crowded on the sides, receiving full light from above and little from the sides.

Intermediate	I	Trees with crowns below, but extending into, the general level of the crown canopy (may include trees, shrubs, or other obstructions) immediately around the measured trees. The crowns are usually small and quite crowded on the sides, receiving little direct light from above but none from the sides.
Suppressed	S	Trees with crowns entirely below the general level of the crown canopy (may include trees, shrubs or other obstructions) around the measured trees, receiving no direct light either from above or from the sides.

Text taken directly from Table 12.1 from "Canada's National Forest Inventory Ground Sampling Guidelines", Version 5.0 (2008).

The original classifications (in "Normes de stratification écoforestière", 2015) included two additional categories (Veteran and NA) not relevant for CABO.

Schéma 12
Étagement d'un peuplement

Vétéran : Arbre survivant d'un peuplement disparu (peuplement précédent), dont l'âge est nettement supérieur à celui du peuplement actuel. Il cohabite avec les codominants et les dominants de ce peuplement ou il surplombe un jeune peuplement issu d'une perturbation d'origine naturelle ou humaine.

Dominant : Arbre dont la hauteur dépasse **visiblement** l'espace occupé par les codominants. Sa cime s'étend par-dessus l'étage général du couvert principal. Généralement, ils sont peu nombreux.

Codominant : Arbre dont la cime occupe l'espace où se situe généralement la majorité des cimes de tiges formant un peuplement, soit approximativement supérieur au 2/3 de la hauteur des arbres dominants. Leur cime contribue à former l'étage général du couvert du peuplement.

Intermédiaire : Arbre qui occupe l'espace médian de la majorité des hauteurs de tiges d'un peuplement, soit approximativement entre la 1/2 et les 2/3 de la hauteur des arbres dominants. Leur cime s'étend dans la partie inférieure du couvert.

Opprimé : Arbre qui occupe l'espace sous-jacent de la majorité des tiges d'un peuplement, soit approximativement plus bas que la 1/2 de la hauteur des arbres dominants. Leur cime est entièrement au-dessous de l'étage général du couvert.

Taken from Table 12 in "Normes de stratification écoforestière", (2015).

Vétéran (V): not used by CABO. The age of a tree and how it relates to stand history is not relevant to what is seen in airborne imagery, so such trees can be assessed according to the criteria for other designations.

Dominant (D): Dominant.

Codominant (C): Co-dominant.

Intermédiaire (I): Intermediate.

Opprimé (O): Suppressed.

Surveyed Trees
Acer saccharum Marshall
Taxonomic Identity			
Tree Taxon	Acer saccharum Marshall		
Size Measurement(s)			
DBH (cm)	29,7
DBH 2 (cm)			
Height (m)	18,7
Crown Diameter (m)			
Bearing (°)	0,165		
Canopy distance 1 (m)	9,16		
Canopy to tree trunk (m)	4,77		
Canopy distance 2 (m)	5,67		
Crown Class	Dominant

9.7 Measure the tree's approximate crown dimensions (Bearing, Canopy distance 1 and 2, Canopy to tree trunk) using the the Compass and DME functions of the Laser Geo. Later calculations will assume an oval shape for tree crowns, in which case the necessary measurements involve the length and width and the position of the tree bole.

- 1) Bearing (°): the compass bearing of the longest part of the canopy (compass function).
 - 2) Canopy distance 1 (m): the length of the longest dimension of the canopy (DME function).
 - 3) Canopy to tree trunk (m): the distance to tree trunk of the longest side of the canopy (DME function), measured by the researcher with the Laser Geo standing at the same point than during measurements 1) and 2).
 - 4) Canopy distance 2 (m): the length of the perpendicular side of the canopy (DME function).
- Record these values under Vegetation Surveys: Large trees → Surveyed trees → Size Measurement(s).

Brown circle: tree trunk.

Green ovalish shape: projection of the tree canopy.

Blue smiley face: researcher holding the Laser Geo.

Yellow smiley face: researcher at whom the Laser Geo is aimed.

Arrows: pointing in the direction in which the Laser Geo has to be aimed*.

*For measurement no 4), the position of the two researchers can be inverted.

Note

For bearing, there are always two possibilities (e.g., 90 or 270 degrees). We assumed that the position of the two researchers (more upslope or downslope) did not make a difference, as long as the researcher holding the Laser Geo (illustrated by a blue smiley face) does not move from measurements 1) to 3).

Surveyed Trees

Acer saccharum Marshall

Tree Taxon	* Acer saccharum Marshall	
Size Measurement(s)		
DBH (cm)	* 25	
DBH 2 (cm)		
Height (m)	* 20,6	
Crown Diameter (m)		
Bearing (°)	* 162	
Canopy distance 1 (m)	* 4,84	
Canopy to tree trunk (m)	* 1,95	
Canopy distance 2 (m)	* 4,85	
Crown Class	* Dominant	

9.8 In the case where the tree is leaning or bent to the point that the trunk at breast height is not even underneath the crown, canopy dimension measurements are done as described above, except the distance from the edge to the tree trunk (see measurement 3 below) is entered as a negative number.

- 1) Bearing (°): the compass bearing of the longest part of the canopy (compass function).
- 2) Canopy distance 1 (m): the length of the longest dimension of the canopy (DME function).
- 3) Canopy to tree trunk (m): the distance to tree trunk of the longest side of the canopy (DME function), measured by the researcher with the Laser Geo standing at the same point than during measurements 1) and 2).
- 4) Canopy distance 2 (m): the length of the perpendicular side of the canopy (DME function).

Brown circle: tree trunk.

Green ovalish shape: projection of the tree canopy.

Blue smiley face: researcher holding the Laser Geo.

Yellow smiley face: researcher at whom the Laser Geo is aimed.

Arrows: pointing the direction in which the Laser Geo has to be aimed*.

*For measurement no 4), the position of the two researchers can be inverted.

9.9 Save your record.

✗	Surveyed Trees	✎	✓
■	Acer saccharum Marshall	📷	

9.10 Repeat steps 9.1-9.9 for every tree in the plot that meets the selection criteria.

Next Plot

10 Survey the next plot by following steps 3 to 9 over again.

Tree Mapping for Leaf Collection (Megantic Only)

11

Safety information

The following step applies to the larger leaf spectra effort. It represents what the leaf spectra crew asked the veg crew to do prior to their arrival at the Megantic site, in order to save time, as the veg crew has easier access to this site and is familiar with it.

During site reconnaissance (walking between plots), pay attention to: 1) individuals of rare tree species (see attached Species List per Site and step 12), and 2) trees that meet the Leaf Spectra selection criteria. Create and save individuals in the Plant app in *Fulcrum*.

Note

Leaf Spectra Selection Criteria:

- Leaves exposed to direct sunlight for at least 6 hrs a day.
- Tree height that allows for leaf collection (target leaves located at ____ m at most).
- Within 30 mins, ideally 15 mins, from parking spots for the Leaf Spectra van.
- If possible, sample individuals of the same species across the park (i.e., in both sectors and across the altitudinal gradient).
- Goal: 10 individual trees per species, for the common species; and 5 individual trees per species, for rare species (see attached Species List).

Details to know to assist the Leaf Spectra Crew during leaf collection:

- The Leaf Spectra van, once settled, won't move for the rest of the day.
- Once harvested from the tree, the leaves must remain attached to the branch during transportation to the Leaf Spectra van.
- If leaf collection occurs before aerial imagery, do not collect leaves inside the plots.

Equipment

new equipment

Trimble Catalyst GPS, NTRIP precision subscription

-

NAME

BRAND

SKU

Equipment

new equipment

NAME

CAT S41 fieldwork cellphone

BRAND

-

SKU

<https://www.catphones.com/en-us/cat-s41-smartphone/>

LINK

11.1 From the *Fulcrum* main menu, go to the Plants app.

CABO

?

⚙️

Exports

Imports

Active

Sort by Last Activity

Plots

Small areas of well-defined shape/size, within which environmental conditions are relatively homogenous. Example: forest inventory plots.

Last activity 19 minutes ago

139 records

Bulk Leaf Samples

Bulk samples of fresh leaves for spectral and trait measurements.

Last activity about 21 hours ago

940 records

Plants

Individual plants that are georeferenced, identified, measured, and/or sampled.

Last activity about 21 hours ago

1,160 records

Vegetation Surveys: Herbs and Shrubs

Surveys of low-lying herbaceous and/or woody vegetation.

106 records

19 minutes ago

Sabine St-Jean submitted 1 record in Plots.

0 created 1 updated 0 deleted

28 minutes ago

Sabine St-Jean submitted 1 record in Plots.

1 created 0 updated 0 deleted

21 hours ago

Paul Hacker submitted 9 records in Bulk Leaf Samples.

0 created 9 updated 0 deleted

21 hours ago

Paul Hacker submitted 9 records in Plants.

0 created 9 updated 0 deleted

21 hours ago

Paul Hacker submitted 1 record in Bulk Leaf Samples.

0 created 1 updated 0 deleted

21 hours ago

Paul Hacker submitted 9 records in Plants.

0 created 9 updated 0 deleted

protocols.io | <https://dx.doi.org/10.17504/protocols.io.29bgh2n>

34

Fulcrum
CABO
?
⚙️

Plants

Individual plants that are georeferenced, identified, measured, and/or sampled.

Last activity about 21 hours ago

1160
records

29
contributors

Records
View/Edit Data

Importer
Import Data

Exporter
Export Data

Activity

Paul Hacker submitted 9 records 20 hours ago	0 created 9 updated 0 deleted
Paul Hacker submitted 9 records 20 hours ago	0 created 9 updated 0 deleted
Paul Hacker submitted 1 record 5 days ago	1 created 0 updated 0 deleted
Paul Hacker submitted 3 records 5 days ago	3 created 0 updated 0 deleted
Paul Hacker submitted 1 record 5 days ago	1 created 0 updated 0 deleted

11.2 Create a new record.

Fulcrum
Plants
?
⚙️

1002 records

11.3 Under Plants → Metadata → Project, select the appropriate project name (see Site Specific Info).

✕
Plants *(editing)*
✓

44678725, 147, Larix laricina (Du Roi) K. Koch
📷
☰

🕒
Metadata

Created (device)	22/07/2019 à 14:46:22 4 months ago by Anna Crofts
Updated (device)	01/11/2019 à 22:37:56 3 weeks ago by Anna Crofts
Created (web)	22/07/2019 à 18:05:25 4 months ago by Anna Crofts
Updated (web)	01/11/2019 à 22:43:58 3 weeks ago by Anna Crofts
Duration	1 minute, 23 seconds (Total Time) 14 seconds (Most Recent Update) 1 minute, 2 seconds (First Creation)
Source	Fulcrum Android 2.33.5 / Android 8.0.0 / BullittGroupLimited S41
Location	45.474250, -71.200653 Change
Created Location	45.474202, -71.200667 (3m accuracy, 5.4m from the record)
Updated Location	45.386962, -71.912398 (3m accuracy, 56399.2m from the record)
Record Status	Pending Verification ▼
Project	2019-Crofts-PhD-UdeS ▼

11.4 Under Plants → Site and Plot, select the appropriate Site (see Site Specific Info) and leave the Plot field blank.

✕
Plants *(editing)*
✓

44678725, 147, Larix laricina (Du Roi) K. Koch
📷
☰

🕒
Site and Plot

Site	* MtMeg-1 ✕ ?
Plot	Select ?

🕒
Site Plot Information

Site ID	MtMeg-1
----------------	---------

11.5 Permanently tag the tree using aluminium tree tags numbered 1-200 –place tag on the far side of tree, so it cannot be seen from the trail. Under Plants → Plant, answer "Yes" to Plant Tagged?, record the tag number next to Tag ID, and answer "aluminium tag" to Tag Type. Add any other relevant info next to Tag Remarks and Plant Remarks.

✕ **Plants** (editing) ✓

44678725, 147, Larix laricina (Du Roi) K. Koch

Plant

Plant ID 44678725

Plant Tagged?

Tag ID * 147

Tag Type * aluminium tag

Tag Remarks LL4 (on flagging)

Plant Photos

Close-Up Photos

Plant Remarks For leaf collection

- 11.6** Under Plants → Plant First Occurrence, indicate the names of the team members (one or more) who first observed the plant as well as the date of the first observation of the plant.

✕ **Plants** (editing) ✓

44678725, 147, Larix laricina (Du Roi) K. Koch

Plant First Occurrence

First Observed By *

Alizée Girard

Anna Crofts

Antoine Mathieu

Alexandra Massey

Charlotte Taillefer

Clément Robert-Bigras

Deep Inamdar

Etienne Laliberté

Florence Blanchard

Guillaume Tougas

Isabelle Gareau

Kathryn Elmer

Madeleine Trickey-Massé

Margaret Kalacksa

Maria Juliana Pardo Losada

Mark Vellend

Myriam Cloutier

Oliver Lucanus

Pablo Arroyo

Paul Hacker

Rime Néron

Rosalie Beauchamp-Rioux

Sabine St-Jean

Sabrina Demers-Thibeault

Xavier Guilbeault-Mayers

Other

Date First Observed * 22 / 07 / 2019

First Occurrence Remarks

- 11.7** Under Plants → Location, precisely georeference the tree location by clicking Update location with GPS on your field cellphone connected to the Trimble GPS –coordinates will automatically be imported to the Latitude and Longitude

Plants *(editing)*

44678725, 147, Larix laricina (Du Roi) K. Koch

Location

Latitude (degrees) 45.47425
Longitude (degrees) -71.2006533
Horizontal Accuracy (m) 3
Altitude (m) 488.1
Vertical Accuracy (m)
Current GPS Information
Your GPS is not accessible. No Location Available
Update Location with GPS

Update Location with GPS

fields.

- 11.8** Under Plants → Taxon, select the name of the plant species from the VASCAN Taxon list.

Plants *(editing)*

44678725, 147, Larix laricina (Du Roi) K. Koch

Taxon

Taxon Checklist * VASCAN
VASCAN Taxon * Larix laricina (Du Roi) K. Koch

- 11.9** Under Plants → Taxonomic Identification, indicate the team members (one or more) the tree was Identified By, enter the Date Identified, and indicate the Identification Protocol.

✕

Plants *(editing)*

✓

44678725, 147, Larix laricina (Du Roi) K. Koch

🔍

☰

🕒

Taxonomic Identification

Identified By

Alizée Girard

Anna Crofts

Antoine Mathieu

Alexandra Massey

Charlotte Taillefer

Clément Robert-Bigras

Deep Inamdar

Etienne Laliberté

Florence Blanchard

Guillaume Tougas

Isabelle Gareau

Kathryn Elmer

Madeleine Trickey-Massé

Margaret Kalacksa

Maria Juliana Pardo Losada

Mark Vellend

Myriam Cloutier

Oliver Lucanus

Pablo Arroyo

Paul Hacker

Rime Néron

Rosalie Beauchamp-Rioux

Sabine St-Jean

Sabrina Demers-Thibeault

Xavier Guilbeault-Mayers

Other

Date Identified

22 / 07 / 2019

Identification Protocol

botanical knowledge only

field guide, flora or other published source

comparison with herbarium specimen

Other

Identification Qualifier

Identification Remarks

Identification Audio Remarks

Select File

11.10 Save your record.

✕

Plants *(editing)*

✓

44678725, 147, Larix laricina (Du Roi) K. Koch

🔍

☰

🕒

Taxon

Taxon Checklist

VASCAN

VASCAN Taxon

Larix laricina (Du Roi) K. Koch

Rare Trees Survey outside Plots (Megantic Only)

- Survey additional rare trees as needed to ensure that all tree species observed across a given site are represented by at least 10 Dominant or Co-dominant individuals, in order to fulfill CABO-wide needs for the calibration of sensor data mentioned at step 1.

- 12.1** Identify the tree species represented by <10 Dominant or Co-dominant individuals across the set of plots at the given site.
- 12.2** For these species, find individual trees ≥ 9 cm DBH outside the plots to bring the sample size up to at least 10. If possible, use the trees recorded at step 11. If not, create Plant records for the selected trees by following the directions from step 11.
- 12.3** Georeference these trees under Plants → Location.

Plants (editing)

44678725, 147, Larix laricina (Du Roi) K. Koch

Location

Latitude (degrees)	45.47425
Longitude (degrees)	-71.2006533
Horizontal Accuracy (m)	3
Altitude (m)	488.1
Vertical Accuracy (m)	

Current GPS Information

Your GPS is not accessible. No Location Available

Update Location with GPS [Update Location with GPS](#)

- 12.4** Record species identification, DBH, height, and crown dimensions in Plants → Plant Size → Size Measurements.

Plants (editing)

44678725, 147, Larix laricina (Du Roi) K. Koch

Plant Size

Size Measurements 0 Items

By clicking on the Items button, the following screen will show up.

✕

Plants *(editing)*

⊕

✓

◀

44678725, 147, Larix laricina (Du Roi) K. Koch / Size Measurements (0 Items)

There are currently no items.

Click the (+) button to create a new item.

Create one new item per measurement.

✕

Size Measurements *(editing)*

✓

November 25, 2019, DBH

🕒

Metadata

Duration

20 seconds (First Creation)

Measurement Type

DBH

Height

Crown diameter

LAI

DBH (cm)

32

Measured By

Alizée Girard

Anna Crofts

Antoine Mathieu

Alexandra Massey

Charlotte Taillefer

Clément Robert-Bigras

Deep Inamdar

Etienne Laliberté

Florence Blanchard

Guillaume Tougas

Isabelle Gareau

Kathryn Elmer

Madeleine Trickey-Massé

Margaret Kalacksa

Maria Juliana Pardo Losada

Mark Vellend

Myriam Cloutier

Oliver Lucanus

Pablo Arroyo

Paul Hacker

Rime Néron

Rosalie Beauchamp-Rioux

Sabine St-Jean

Sabrina Demers-Thibeault

Xavier Guilbeault-Mayers

Other

Date Measured

25 / 11 / 2019

Save your size measurements.

12.5 Save your record.

Coordinates Conversion

13 Once the field season is over, calculate the X-Y coordinates of the trees which had their coordinates taken using the Laser Geo (see step 9.4).

13.1 In *Fulcrum* → Vegetation Surveys: Large Trees, export your data of interest in .csv.

- Select the appropriate project or site.

- Click on "Download data". Indicate the "CSV (.csv)" format, then click "Start".

- Click on the "..." icon – a drop-down menu will appear. Click on the name of the file you just created.

- A download window will appear. Click on "OK".

- Extract your compressed file, then open the "vegetation_surveys_large_trees_surveyed_trees.csv" file using Excel.

13.2 In Excel, filter the distance_from_center_m column to remove (untick) the "Empty" values, then click "OK".

13.3 In Excel, create a new column titled compass_bearing_rad_, with its cells containing the formula " $=AL28*PI()/180$ " to convert degrees to radian.

Where AL28 is the name of the adjacent cell containing the compass_bearing_deg* value for a given tree.

*This has been measured from the tree to the plot center, with North = 0°, East = 90° and so forth.

13.4 In Excel, calculate X-Y coordinates of these trees using the following formulas:

$$x = -L * \sin\Theta$$

$$y = -L * \cos\Theta$$

with:

$$x = x_position_m$$

$$y = y_position_m$$

$$L = \text{Distance_from_center_m}$$

$$\Theta = \text{Compass_bearing_rad}$$

Enregistrement automatique **surveyedtreesupdated_modif - Excel** Sabine St

	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM
1	x_position_m	y_position_m	x_verified	y_verified	latitude2	longitude2	hori.alti	ver.upd	distance_from_center	compass_bearing_deg	compass_bearing_rad		
28	AM28	12.43	-11.59	12.43	45.4490317	-71.1071492			17	137	2.391101075		
38		0	19.5	0	19.5	45.4491024	-71.1070333			19.5	180	3.141592654	

13.5 In *Fulcrum* → Vegetation Surveys: Large Trees → Survey → Surveyed Trees → [Record] → Location, edit the appropriate trees by adding their X-Y coordinates. Then, to avoid confusion, remove their Distance from center (m) and Compass bearing (°). Do so one Vegetation Survey at a time, saving your record when you're done.

Surveyed Trees

Betula papyrifera Marshall

Bearing (°)	• 274
Canopy distance 1 (m)	• 4,66
Canopy to tree trunk (m)	• 0,64
Canopy distance 2 (m)	• 5,52
Crown Class	• Dominant
Measurement Remarks	

Location

X Position (m)	0,54
Y Position (m)	1,48
Latitude (degrees)	45,4674259
Longitude (degrees)	-71,208375
Distance from center (m)	
Compass bearing (°)	

Surveyed Trees

Betula papyrifera Marshall

Vegetation Surveys: Large Trees *(editing)*

1 record, June 13, 2019 / Surveyed Trees (159 Items)

Vegetation Surveys: Large Trees *(editing)*

1 record, June 13, 2019