OCT 20, 2019

Cell-ELONA

Guillermo Fernández Rodríguez¹

¹AEGIS - Madrid iGEM 2019

AEGIS - Madrid iGEM 2019

Guillermo Fernández Rodríguez

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.7umhnu6

Protocol Citation: Guillermo Fernández Rodríguez 2019. Cell-ELONA. [protocols.io](https://dx.doi.org/10.17504/protocols.io.7umhnu6)
<https://dx.doi.org/10.17504/protocols.io.7umhnu6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Oct 01, 2019

Last Modified: Oct 20, 2019

PROTOCOL integer ID:
28269

Keywords: Cell-ELONA, ELONA, Aptamer characterization, Biochemistry, cell-SELEX, Automation

ABSTRACT

ELONA (Enzyme-Linked Oligonucleotide Assay), is a biochemical method based on enzyme linked immunosorbent assay (ELISA) that allows to demonstrate that aptamers selected by SELEX can be effective and useful as biorecognition molecules and laboratory tools. The ELONA format choosed uses an anti-digoxigenin antibody to recognize an aptamer previously labelled with digoxigenin. This antibody is conjugated with a peroxidase enzyme, and once it adds ABTS solution, it will be responsible for the colourimetric reaction which will be detected. (We used 5 replicates per dilution)

MATERIALS

MATERIALS

- ✘ MG **addgene Catalog #26528**
- ✘ Anti-Digoxigenin-AP, Fab fragments **Sigma – Aldrich Catalog #1109327491**
- ✘ Sodium bicarbonate **Sigma – Aldrich Catalog #S6014**
- ✘ PBST (PBS 1:1000 Tween-20) **Contributed by users**
- ✘ BSA **Sigma Aldrich**
- ✘ Centrifuge **Eppendorf Centrifuge Catalog #5415D**
- ✘ LB **Research Products International (rpi) Catalog #L24400-2000.0**
- ✘ ABTS, solution **Thermo Fisher Catalog #002024**
- ✘ White 96-Well Immuno Plates, Maxisorp, Flat-Bottom, MaxiSorp, 350µL **Thermo Fisher Catalog #436110**

BEFORE START INSTRUCTIONS

Clean all the working surface with ethanol.

Pre-Coating

- 1 Inoculate a single colony of E.Coli DH5α from LB agar plate in 10 mL of LB. Use a sterile pipette tip, selecting a single colony from LB agar plate. The liquid culture is incubated overnight 37 °C
- 2 Spin at 4000 rpm for 00:05:00 . Discard the supernatant, collect pellet and re-suspend in 10 mL of NaHCO₃-Na₂CO₃, 50mM, pH 9,6. Mix by inverting the tube.
- 3 Spin at 4000 rpm for 00:05:00 . Discard the supernatant, collect pellet and re-suspend in 8 mL of NaHCO₃-Na₂CO₃, 50mM, pH 9,6. Mix by inverting the tube.
- 4 Read the absorbance (600nm). Dilute the sample with NaHCO₃-Na₂CO₃, 50mM, pH 9,6, and adjust the absorbance to 1.

Coating (Automated)

- 5 Dilute the sample 1:4 with NaHCO₃-Na₂CO₃, 50mM, pH 9,6 in a eppendorf tube.
- 6 Add 200 µL of the bacterial sample into Nunc MaxiSorp 96-well plate and Coating buffer for the negative control. Incubate overnight at 4 °C with agitation (260rpm).

Cell-ELONA (Automated)

- 7 Remove Coating buffer. CAUTION: Be careful to do not touch the well and remove the bacteria.

- 8 Wash 3x 200 µL with PBS 1x-Tween 0,1%. Remove the drops after the last wash. CAUTION: Be careful to do not touch the well and remove the bacteria.
- 9 Block the plate with 200 µL PBS 1x BSA 5% for 01:00:00 (260 rpm).
- 10 Structure digoxigenin-labelled aptamers (denatured for 10 min at 95°C and then cooled for 10 min on ice), previously prepared in different concentrations.
- 11 Wash 3x 200 µL with PBS 1x tween 0,1%. Remove the drops after the last wash. CAUTION: Be careful to do not touch the well and remove the bacteria.
- 12 Add 100 µL /well of the structured aptamers. Incubated for 01:00:00 .
- 13 Wash 3x 200 µL with PBS 1x tween 0,1%. Remove the drops after the last wash.
- 14 Add anti-body antidigoxigenin (100 µL /well) preparing 1:1000 dilution in Aptamer buffer-BSA 0,2%. Incubate at room temperature for 01:00:00 .
- 15 Wash 3x 200 µL with PBS 1x Tween 0,1%.

- 16** Add 100 μ L/wall of ABTS solution. Read the absorbance (405 nm) every 00:10:00 for 01:00:00. ADVICE: We recomend you to buy the ABTS than comes diluted and with the oxygene peroxide.