JUN 03, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bfydjps6

Protocol Citation: Neilier Junior 2020. Citrate-Phosphate Buffer. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bfydjps6>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: May 05, 2020

Last Modified: Jun 03, 2020

PROTOCOL integer ID:
 36581

Keywords: pH, Henderson-Hasselback, Biochemistry, Molecular Biology

Citrate-Phosphate Buffer

In 1 collection

Neilier Junior¹

¹Universidade Federal de Viçosa

Neilier Junior

Universidade Federal de Viçosa, University of Manitoba

ABSTRACT

A buffer solution has the function of resisting changes in pH even when adding powerful acids or bases. However, in the physiological environment the buffered system also provides cofactors for enzymatic reactions, critical salts and even essential nutrients for cells and tissues. Therefore, when trying to reproduce biological conditions in vitro, we must make the appropriate choice of the buffer. After all, it will provide the appropriate medium in which reactions will occur.

MATERIALS

- Deionized Water
- pH Meter (sensitive)
- Citric Acid
- Dibasic Sodium Phosphate (dihydrate and heptahydrate)

SAFETY WARNINGS

Wear personal protective equipment: gloves, lab coat and mask.

BEFORE START INSTRUCTIONS

Organize your workspace.

Make sure all solutions and equipment are available.

Citrate-Phosphate Buffer

1

Note

pH range: 2.6 to 7.0

(a) 0.1 M Citric acid; 19.21 g L⁻¹ (M.W. 192.1 g mol⁻¹)

(b) 0.2 M Dibasic sodium phosphate; 35.6 g L⁻¹ (dihydrate; M.W. 178.0 g mol⁻¹) or 53.6 g L⁻¹ (heptahydrate; M.W. 268.0 g mol⁻¹)

Mix citric acid and sodium phosphate solutions in the proportions indicated and adjust the final volume to 100 mL with deionized water.

mL of Citric acid	44.6	39.8	35.9	32.3	29.4	26.7	24.3	22.2	19.7	16.9	13.6	6.5
mL of Sodium phosphate	5.4	10.2	14.1	17.7	20.6	23.3	25.7	27.8	30.3	33.1	36.4	43.6
pH	2.6	3.0	3.4	3.8	4.2	4.6	5.0	5.4	5.8	6.2	6.6	7.0

2 Adjust the final pH using a sensitive pH meter