JUN 09, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.wgjfbun

Protocol Citation: Steven W Wilhelm, Gary Lecleir, Ashley A Humphrey 2019. Cleaning up a biohazardous spill outside of a biosafety cabinet.

protocols.io
<https://dx.doi.org/10.17504/protocols.io.wgjfbun>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Dec 17, 2018

Last Modified: Jun 09, 2019

PROTOCOL integer ID:
 18667

Keywords: biosafety, biohazard, spill

Cleaning up a biohazardous spill outside of a biosafety cabinet

In 2 collections

Steven W Wilhelm¹, Gary Lecleir¹, Ashley A Humphrey²

¹The University of Tennessee, Knoxville;

²University of Tennessee, Knoxville

The Aquatic Microbial Ecology Research Group - AMERG (The Buchan, Zinser and Wilhelm labs)

Ashley A Humphrey

University of Tennessee, Knoxville

ABSTRACT

BIOLOGICAL SPILL RESPONSE method to be used in the event of a biosafety incident.

ATTACHMENTS

[SpillCleanupProcedure_2017.07.27 \(1\).pdf](#)

SAFETY WARNINGS

For chemical safety, please refer to the SDS (Safety Data Sheet).

Close off the area and allow aerosols to settle.

- 1
- 2 Notify others including supervisor.
- 3 Assemble all spill cleanup materials and review procedure.
- 4 Don appropriate PPE: laboratory coat, safety glasses or chemical splash goggles (depending on risk of splashes), Nitrile gloves.
- 5 Cover spill with paper towels.
- 6 Pour (don't spray) disinfectant to contaminated surface that is covered with paper towels by pouring it around the periphery of the spill area moving inward. Allow the appropriate contact time for the disinfectant and agent.
- 7 Wipe up spill. Dispose of the waste in the biohazardous waste containers.
- 8 Re-apply disinfectant to contaminated surface and allow it to stand for proper contact time.
- 9 Wipe up disinfectant, repeat if necessary.

- 10 Segregate contaminated cleanup materials into the appropriate biohazardous waste containers.