JAN 09, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.wwiffce

Protocol Citation: Bonnie L Hurwitz, Ken Youens-Clark 2019. Cloning the Class Github Repository.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.wwiffce>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Jan 09, 2019

Last Modified: Jan 09, 2019

PROTOCOL integer ID:
 19114

Cloning the Class Github Repository

Forked from [Github ssh keys](#)

Bonnie L Hurwitz¹, Ken Youens-Clark¹

¹University of Arizona

Biosys-analytics

Tech. support email: kyclark@email.arizona.edu

Bonnie L Hurwitz

University of Arizona

ABSTRACT

We are going to use Github (<http://github.com>) to share code examples and assignments with you for the class. We set up a master repository that will get updated with assignments as the course progresses. You are going to use the "git clone" command to make your own copy of this repository. You can edit and add your own code to this cloned repository, and then "push" the code back to us so we can run the code and grade your assignments. See the [Setting up Github protocol](#) for how to get started with Github. This protocol focuses on how to make a clone or copy of the class master repo in your own directory on the UA HPC (/rsgrps/bh_class/username). The master repository is available in Github (<https://github.com/hurwitzlab/biosys-analytics>) on remote server. The "git clone" command copies that existing Git repository to your own directory. This "working copy" is a full-fledged Git repository—has its own history, manages its own files, and is a completely isolated environment from the original repository.

- 1 Login to your Github account and choose the "Settings" under your menu.

- 2 Select the SSH Keys section on the left (1) and then click on "New SSH key" in the upper-right (2).

- 3 Login to the UA HPC web portal. See the [protocol](#) if needed.
- 4 Go to the .ssh directory in your home directory and copy the SSH key, using the commands below.

```
$ cd
$ cd .ssh
$ cat id_rsa.pub
```

```

Last login: Tue Jan  8 17:20:18 2019 from gatekeeper.hpc.arizona.edu
*****
*
* Color "ls" has been disabled to help improve storage performance.
* If you need to restore the old behavior, add
* "alias ls='ls --color=auto' 2>/dev/null" to your bash profile.
*
*****
[login2@rsgroups/bhurwitz]$ cd
[login2@~]$ cd .ssh
[login2@~/ssh]$ cat id_rsa.pub

```

copy the public key that you get from the command above.

- 5 Paste the public key (~/ssh/id_rsa.pub) from above into the "Key" on the Github site and give the key a title like "UA HPC," then click on the big green "Add SSH Key" button.

The screenshot shows the GitHub 'Add SSH key' form. It has a 'Title' field and a 'Key' field. The 'Key' field contains a placeholder text: 'Begins with \'ssh-rsa\', \'ssh-dss\', \'ssh-ed25519\', \'ecdsa-sha2-nistp256\', \'ecdsa-sha2-nistp384\', or \'ecdsa-sha2-nistp521\''.

- 6 Clone your project via SSH. On the UA HPC web portal, go to the "/rsgroups/bh_class/username" directory and clone your version of the biosys-analytics repository. Replace "username" with YOUR username in each of the Unix commands below.

```

$ cd /rsgroups/bh_class/username
$ git clone git@github.com:username/biosys-analytics.git

```

- 7 You should now be able to push/pull from your repo without having to type your Github password.