



Sep 09, 2022

Version 2

Criteria for performing total knee arthroplasty without postoperative intensive care monitoring V.2

DOI

<https://dx.doi.org/10.17504/protocols.io.bp2l6b325gqe/v2>



Fabricio Loures¹, João enrique Reis¹, Marcelo de Oliveira Campos¹, Guilherme Morgado Runco¹,
Luísa oim Vieira Fonseca¹, Luciana Ferreira Xavier¹, Nelson Hiroyuki Miyabe Ooka¹, Liszt Palmeira de Oliveira¹

¹Universidade do Estado do Rio de Janeiro (UERJ)



Fabrício Bolpato Loures

Universidade do Estado do Rio de Janeiro (UERJ)

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.bp2l6b325gqe/v2>

Protocol Citation: Fabricio Loures, João enrique Reis, Marcelo de Oliveira Campos, Guilherme Morgado Runco, Luísa oim Vieira Fonseca, Luciana Ferreira Xavier, Nelson Hiroyuki Miyabe Ooka, Liszt Palmeira de Oliveira 2022. Criteria for performing total knee arthroplasty without postoperative intensive care monitoring. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.bp2l6b325gqe/v2> Version created by **Fabrício Bolpato Loures**

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: September 09, 2022

Last Modified: September 09, 2022

Protocol Integer ID: 69779

Keywords: total knee arthroplasty, intensive care monitoring, risk stratification, total knee arthroplasty without postoperative intensive care monitoring, intensive care monitoring after total knee arthroplasty, total knee arthroplasty, performing total knee arthroplasty, postoperative intensive care monitoring, intensive care monitoring, objective criteria

Abstract

After reviewing the medical literature, we defined objective criteria to indicate intensive care monitoring after total knee arthroplasty. These criteria were adopted in January 2020 and since then none of the 80 patients who underwent total knee arthroplasty at the Pedro Ernesto University Hospital and who met the criteria required intensive care monitoring.

Attachments



Criteria for TKA wi...

168KB

Guidelines

To perform total knee arthroplasty without postoperative intensive care monitoring, it is necessary for the patient to fulfill the eight criteria defined below:

Less than 75 years old

American Society Anesthesiology (ASA) Classification I or II

Non-smoker

No history of ischemic disease (Acute Myocardial Infarction and/or Cerebrovascular disease)

Primary Arthroplasty (CR or PS)

Body Mass Index (BMI) less than 35 kg/m²

Creatinine clearance higher than 60 ml/min

Hemoglobin greater than 12g/dL



Safety warnings

 We have defined these criteria based on medical literature and we are validating this protocol by observing the outcome.

Before start

We have defined these criteria based on medical literature and we are validating this protocol by observing the outcome.

