

Oct 25, 2019

## Determining Lipid Content in Embryos using Nile Red Fluorescence

DOI

[dx.doi.org/10.17504/protocols.io.8qwhvxe](https://dx.doi.org/10.17504/protocols.io.8qwhvxe)



Luciano Bonilla<sup>1</sup>, Peter J Hansen<sup>1</sup>

<sup>1</sup>University of Florida

University of Florida Bovine Embryo Lab

Tech. support email: [hansen@animal.ufl.edu](mailto:hansen@animal.ufl.edu)



Peter J Hansen

University of Florida

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.8qwhvxe](https://dx.doi.org/10.17504/protocols.io.8qwhvxe)

External link: [https://animal.ifas.ufl.edu/hansen/lab\\_protocol\\_docs/detection\\_lipids\\_embryos\\_nile\\_red\\_fluorescence.pdf](https://animal.ifas.ufl.edu/hansen/lab_protocol_docs/detection_lipids_embryos_nile_red_fluorescence.pdf)

**Protocol Citation:** Luciano Bonilla, Peter J Hansen 2019. Determining Lipid Content in Embryos using Nile Red Fluorescence. [protocols.io https://dx.doi.org/10.17504/protocols.io.8qwhvxe](https://dx.doi.org/10.17504/protocols.io.8qwhvxe)

**License:** This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

We use this protocol and it's working

**Created:** October 25, 2019

**Last Modified:** October 25, 2019

**Protocol Integer ID:** 29174

**Keywords:** preimplantation embryo, Nile Red, lipid

## Abstract

The following protocol is derived from the protocol described by Genicot et al. (Theriogenology 63: 1181- 1194, 2005) and is based on the fluorescence emitted by Nile Red when in association with lipid (see Fowler and Greenspan, J Histochem Cytochem 33: 833-836, 1985).

## Attachments



[detection\\_lipids\\_emb...](#)

35KB

