AUG 23, 2018

DNA extraction for vertebrate tissues using Phenol:Chloroform:Isoamylol

GigaScience In 1 collectionChang Li¹¹BGI-Qingdao, BGI-Shenzhen, Qingdao, 266555, China.

GigaScience Press

BGI

OPEN ACCESS**DOI:**dx.doi.org/10.17504/protocols.io.ssyeeffw**External link:**<https://doi.org/10.1093/gigascience/giy114>

Protocol Citation: Chang Li 2018. DNA extraction for vertebrate tissues using Phenol:Chloroform:Isoamylol.

protocols.io<https://dx.doi.org/10.17504/protocols.io.ssyeeffw>**MANUSCRIPT CITATION:**

Shao C, Li C, Wang N, Qin Y, Xu W, Liu Q, Zhou Q, Zhao Y, Li X, Liu S, Chen X, Mahboob S, Liu X, Chen S, Chromosome-level genome assembly of the spotted sea bass, . GigaScience 7(11). doi:

[10.1093/gigascience/giy114](https://doi.org/10.1093/gigascience/giy114)

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Chang Li

ABSTRACT

This protocol is used to clarify the process of total DNA extration for L. maculatus genome.

Created: Aug 22, 2018

MATERIALS

Last Modified: Aug 24, 2018

PROTOCOL integer ID:
14904

STEP MATERIALS

☒ normal saline **Sinopharm Chemical Reagent Co.**

☒ STE **Contributed by users**

☒ SDS **Ambion**

☒ protease K **New England Biolabs**

☒ Phenol : Chloroform : Isoamylol (25: 24: 1) **Sinopharm Chemical Reagent Co.**

☒ Chloroform : Isoamylol (24 : 1) **Sinopharm Chemical Reagent Co.**

☒ Isopropanol **Sinopharm Chemical Reagent Co.**

☒ 70% of ethanol **Sinopharm Chemical Reagent Co.**

☒ RNase **FERMENTAS Inc.**

☒ TE buffer **Invitrogen - Thermo Fisher**

☒ normal saline **Sinopharm Chemical Reagent Co.**

☒ STE **Contributed by users**

☒ SDS **Ambion**

☒ protease K **New England Biolabs**

☒ Phenol : Chloroform : Isoamylol (25: 24: 1) **Sinopharm Chemical Reagent Co.**

☒ Chloroform : Isoamylol (24 : 1) **Sinopharm Chemical Reagent Co.**

☒ Isopropanol **Sinopharm Chemical Reagent Co.**

☒ 70% of ethanol **Sinopharm Chemical Reagent Co.**

☒ RNase **FERMENTAS Inc.**

☒ TE buffer **Invitrogen - Thermo Fisher**

Sample preparation

- 1) Collect and cut muscle tissue of spotted sea bass.
2) The tissue was defrosted and washed with normal saline. Cut about 0.5g tissue.

☒ normal saline **Sinopharm Chemical Reagent Co.**

Tissue lysis

- 2 Add STE, SDS (10%), protease K (20mg/ml) to mix. Heat 4-6h at 56°C, and shake in centrifuge at 500 rpm.

☒ STE **Contributed by users**

☒ SDS **Ambion**

☒ protease K **New England Biolabs**

🕒 06:00:00 heat

🌡️ 56 °C

Phase separation

- 3
- 1) Add the same volume of Phenol : Chloroform : Isoamylol (25: 24: 1) and mix by gentle inversion for 3-5 min at room temperature.
 - 2) Centrifuge at 13600rpm for 10min at 4°C and then transfer the supernatant aqueous phase in a new tube.
 - 3) Add the same volume of Chloroform : Isoamylol (24 : 1) and mix by gently inverting for 3-5min at room temperature.
 - 4) Centrifuge at 13600rpm for 10min at 4°C and then transfer the supernatant aqueous phase in a new tube.

🧪 Phenol : Chloroform : Isoamylol (25: 24: 1) **Sinopharm Chemical Reagent Co.**

🧪 Chloroform : Isoamylol (24 : 1) **Sinopharm Chemical Reagent Co.**

🕒 00:05:00 1)

🕒 00:10:00 2)

🌡️ 4 °C 2)

🕒 00:05:00 3)

🕒 00:10:00 4)

🌡️ 4 °C 4)

DNA precipitation

- 4
- 1) Add equal volume of Isopropanol, and then mix by slowly inverting.
 - 2) Incubate the tube at -20°C for overnight.
 - 3) Centrifuge at 13600rpm for 10min at 4°C and discard the supernatant.

🧪 Isopropanol **Sinopharm Chemical Reagent Co.**

🌡️ -20 °C 2)

🌡️ 4 °C 3)

🕒 00:10:00 3)

DNA washing

- 5
- 1) Add 1ml of 70% of ethanol, flick the centrifuge tube to resuspend the pellet, wash the DNA pellet for 3-5min.
 - 2) Centrifuge at 13000rpm for 5min at 4°C, discard the ethanol.
 - 3) Add 1ml of 70% ethanol and mix gently. Centrifuge at 13000rpm for 5min at 4°C, discard the ethanol.
 - 4) Centrifuge at 13000rpm for 30s, discard the liquid. Air dry the pellet for 5-10min at room temperature.

⊗ 70% of ethanol **Sinopharm Chemical Reagent Co.**

🕒 00:05:00 1)

🕒 00:05:00 2)

🌡️ 4 °C 2)

🕒 00:05:00 3)

🌡️ 4 °C 3)

🕒 00:00:30 4)

🕒 00:10:00 4)

Dissolve DNA

- 6 Add RNase and 100ul of TE buffer (TE : RNase = 100:1), and then dissolve the pellet at 37°C for 30min in the Thermomixer.

⊗ RNase **FERMENTAS Inc.**

⊗ TE buffer **Invitrogen - Thermo Fisher**

🕒 00:30:00

🌡️ 37 °C