VERSION 1

JUL 17, 2020

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bipykdpw

Protocol Citation: Marda Jorgensen 2020. Donor Acceptance Criteria for TMC Florida/Zurich HuBMAP Inclusion. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bipykdpw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Jul 17, 2020

Last Modified: Jul 17, 2020

PROTOCOL integer ID:
39384

Donor Acceptance Criteria for TMC Florida/Zurich HuBMAP Inclusion V.1

Marda Jorgensen¹

¹University of Florida

Human BioMolecular Atlas Program (HuBMAP) Method Development Community

Tech. support email: Jeff.spraggins@vanderbilt.edu

Marda Jorgensen

ABSTRACT

This document outlines the required criteria for inclusion for donors of thymus, lymph nodes and spleen in the HuBMAP project.

Donor Criteria

- 1** A copy of the complete recovery checklist must be provided
- 2** BMI must be in keeping with CDC published growth charts 5th to 95th percentile
- 3** Donor must be less than seven days on ventilator
- 4** Donor tissue must be received within 24 hours of recovery
- 5** Contraindications for donor acceptance are
 - 5.1** More than 4 blood transfusions
 - 5.2** Any autoimmune diseases
 - 5.3** Chromosomal abnormalities
 - 5.4** Bacterial or viral meningitis or MRSA in any culture

5.5 Sepsis

5.6 Observable infarction, rupture, deflation or gross abnormality

Spleen Specific Criterion

6 Must receive at least 60% of the intact spleen, including hilum.

7 No splenomegaly

Lymph Node Specific Criterion

8 Must receive at least 10 intact lymph nodes

Thymus Specific Criterion

9 Must be under the age of 50 to permit for adequate lymphoid tissue presence