

Mar 28, 2024

Version 1

Donor Case Selection | HuBMAP | JHU-TMC V.1

DOI

<https://dx.doi.org/10.17504/protocols.io.dm6gpz8e1lzp/v1>

Kyu Sang Han¹, Joel Sunshine², Sashank Reddy², Denis Wirtz^{1,2}, Pei-Hsun Wu¹

¹Johns Hopkins University; ²Johns Hopkins Medicine

Human BioMolecular Atlas Program (HuBMAP) Method Development Community

Tech. support email: Jeff.spraggins@vanderbilt.edu



Kyu Sang Han

Johns Hopkins University

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.dm6gpz8e1lzp/v1>

Protocol Citation: Kyu Sang Han, Joel Sunshine, Sashank Reddy, Denis Wirtz, Pei-Hsun Wu 2024. Donor Case Selection | HuBMAP | JHU-TMC. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.dm6gpz8e1lzp/v1>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited



Protocol status: Working

We use this protocol and it's working

Created: March 26, 2024

Last Modified: March 28, 2024

Protocol Integer ID: 97361

Keywords: hubmap, donor, selection, tmc donor case selection protocol, criteria for human tissue biopsy collection, human tissue biopsy collection, human tissue biopsy, johns hopkins tmc, tmc, tissue

Funders Acknowledgements:

Institute of Arthritis and Musculoskeletal and Skin Diseases

Grant ID: U54AR081774

National Cancer Institute

Grant ID: U54CA143868

Abstract

Donor case selection protocol for Johns Hopkins TMC describes criteria for human tissue biopsy collection.

Before start

Patient samples are obtained from skin that is to be discarded from patients presenting for reconstructive or aesthetic procedures necessitating skin excision. No other procedures or follow-up is needed for research purposes.



Inclusion

- 1 Age 18-35 or 50 and over
English Speaking
Able to provide consent
Undergoing reconstructive or aesthetic procedures necessitating skin excision at the scalp or abdomen

Exclusion

- 2 Known collagen disorder
Strong personal history of keloid formation
Deemed unfit for general anesthesia
Active infection of skin where samples may be taken