

Jul 04, 2023

Donor case selection protocol

DOI

<https://dx.doi.org/10.17504/protocols.io.bp2l6xnmzlqe/v1>

Kyu Sang Han¹, Sashank Reddy¹, Denis Wirtz¹, Pei-Hsun Wu¹

¹Johns Hopkins University

Human BioMolecular Atlas Program (HuBMAP) Method Development Community
Tech. support email: Jeff.spraggins@vanderbilt.edu



Kyu Sang Han

Johns Hopkins University

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.bp2l6xnmzlqe/v1>

Protocol Citation: Kyu Sang Han, Sashank Reddy, Denis Wirtz, Pei-Hsun Wu 2023. Donor case selection protocol. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bp2l6xnmzlqe/v1>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited



Protocol status: Working

We use this protocol and it's working

Created: July 04, 2023

Last Modified: July 04, 2023

Protocol Integer ID: 84424

Keywords: donor case selection protocol inclusion age, necessitating skin excision, skin excision at the scalp, collagen disorder strong personal history of keloid formation, keloid formation, known collagen disorder, active infection of skin, skin, aesthetic procedure, consent, scalp, unfit for general anesthesia

Abstract

Inclusion

Age 18-35 or 50 and over

English Speaking

Able to provide consent

Undergoing reconstructive or aesthetic procedures necessitating skin excision at the scalp or abdomen

Exclusion

Known collagen disorder

Strong personal history of keloid formation

Deemed unfit for general anesthesia

Active infection of skin where samples may be taken



Sample collection guideline

- 1 Patient samples will be obtained from skin that is to be discarded from patients presenting for reconstructive or aesthetic procedures necessitating skin excision. No other procedures or follow-up is needed for research purposes.

- 2 **Inclusion/Exclusion Criteria**

Inclusion

Age 18-35 or 50 and over

English Speaking

Able to provide consent

Undergoing reconstructive or aesthetic procedures necessitating skin excision at the scalp or abdomen

Exclusion

Known collagen disorder

Strong personal history of keloid formation

Deemed unfit for general anesthesia

Active infection of skin where samples may be taken