SEP 20, 2019

Dot mutation

宏亮 董¹

¹Northeast Forest University

2019 iGEM NEFU_China

Tech. support email: shengyiyanwork@gmail.com

宏亮 董

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.7iehkbe

Protocol Citation: 宏亮 董
2019. Dot mutation.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.7iehkbe>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: Sep 20, 2019

Last Modified: Sep 20, 2019

PROTOCOL integer ID:
27942

Keywords: Mutation, Dot mutation

SAFETY WARNINGS

Please wear gloves for the experiment.

- 1 The entire plasmid was amplified reversely by PCR using primers with the fragment sequence that you want to replace.

- 2 The temple plasmids in the PCR process were digested by DpnI enzyme.
- 3 The digested product was transferred into DH5 α . Overnight culture them at 37°C.
- 4 To determine whether the vector was constructed successfully, colony PCR and enzyme digestion were done.
- 5 Select the positive results for sequencing and the final results were obtained.