OCT 21, 2019

DRBUDDI for MRI Processing

Courtney Comrie¹

¹University of Arizona

Courtney Comrie
University of Arizona

ABSTRACT

This protocol will provide a basic guide to utilizing the DRBUDDI tool in TORTIOSE.

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.7vehn3e

Protocol Citation: Courtney Comrie 2019. DRBUDDI for MRI Processing. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.7vehn3e>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: In development
We are still developing and optimizing this protocol

Created: Oct 01, 2019

Last Modified: Oct 21, 2019

PROTOCOL integer ID:
28294

Introduction

- 1 DRBUDDI is a EPI distortion correction module in TORTIOSE. It bases its corrections by using DTI data pairs (blip up and blip down). When processing MR images DRBUDDI is usually the second

step in the pipeline.

DRBUDDI

- 2 Type the following in the terminal to view information

Command

```
DR_BUDDI_withoutGUI
```

- 2.1 You should have two corresponding data sets to edit, and you will need to distinguish them when you call DRBUDDI i.e. blip up and blip down
 - 2.2 NOTE: There are two DRBUDDI versions available to use. There is a DRBUDDI with a GUI, and there is one without a GUI.
- 3 In terminal go to your directory with the DTI data.
 - 4 In terminal type:

Command

```
DR_BUDDI _withoutGUI --up _data directory(blip up)/file_name_proc.list --down_data  
directory(blip down)/file_name_proc.list --structural  
directory_T2Data/file_name_structural.nii
```