VERSION 1

OCT 17, 2017

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.kaecsbe

Protocol Citation: Chunan Liu 2017. Dry Swab Sampling and Transportation.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.kaecsbe>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Oct 12, 2017

Last Modified: Jan 15, 2018

PROTOCOL integer ID:
8230

Dry Swab Sampling and Transportation V.1

Forked from a private protocol

Chunan Liu¹

¹Hurwitz Lab

Hurwitz Lab

Chunan Liu

ABSTRACT

Protocols for sampling and shipping human skin swabs from clinics to lab.

Wear gloves

1

Break the seal round the tube containing the swab

2

Swabbing

3 Designate a location to be swabbed, taking care to note the size of the area.

Remove the swab from the tube, swab the entire area in a zigzag pattern, rolling the swab over to ensure the entire swab is used.

Return the swab into the tube and label the sample

4 Carefully insert the swab into the tube, making sure to seat the cap firmly on the tube.

Label the sample with a unique identifier, such as the patient_ID, location the sample was taken, the date.

Place the tube into the biohazard bag and seal the bag, sto...

5

Shipping instructions

6 Place samples and all paperwork in Styrofoam container and arrange shipment for next day delivery.

Do not ship over the weekend.