

Jun 08, 2022

# O DTS-TOT protocol

DOI

dx.doi.org/10.17504/protocols.io.n92ldzn88v5b/v1

marcel.hinss<sup>1</sup>, raphaelle.roy<sup>2</sup>, Anke M Brock<sup>3</sup> <sup>1</sup>ISAE-SUPAERO / ENAC; <sup>2</sup>ISAE-SUPAERO; <sup>3</sup>ENAC



marcel.hinss

## Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN ACCESS



DOI: https://dx.doi.org/10.17504/protocols.io.n92ldzn88v5b/v1

Protocol Citation: marcel.hinss, raphaelle.roy, Anke M Brock 2022. DTS-TOT protocol . protocols.io https://dx.doi.org/10.17504/protocols.io.n92ldzn88v5b/v1

License: This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited



Protocol status: Working

We use this protocol and it's working

Created: June 07, 2022

Last Modified: June 08, 2022

Protocol Integer ID: 64111

**Keywords:** Cognitive Flexibility, Task-Switching, Mental Fatigue, Cogntivie Psychology, cognitive flexibility as most fundamental research, established effect on cognitive flexibility, cognitive flexibility, context of cognitive flexibility, ecological validity mental fatigue, mental fatigue, human cognition, similar task, switching paradigm, important aspects of human cognition, increasing ecological validity, simple task, task, tasks results in task, tasks result, increased reaction time, reaction time

#### Disclaimer

### DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to <u>protocols.io</u> is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with <u>protocols.io</u>, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

### **Abstract**

1. Cognitive Flexibility, the ability to adapt behavior and thought to the environment is one of the most important aspects of human cognition. A classical paradigm to study cognitive flexibility is the task-switching paradigm. These paradigms require the participant to switch between two or more relatively simple tasks continuously. Results consistently show that switching between tasks results in task-switching costs (TSC) in the form of increased reaction times and error likelihood following a switch. These effects have been shown in a wide array of circumstances, however, several factors have yet to be investigated within the context of cognitive flexibility.

Similarity is an important factor for research within cognitive flexibility as most fundamental research has only focused on very similar tasks, rather than being ecologically valid. Beyond similarity conflict, which is elicited when a participant is confronted with incongruent information as to the correct response during a task, needs to also be accounted for. Finally, in the context of increasing ecological validity mental fatigue with its established effect on cognitive flexibility needs to also be taken into consideration.



### Guidelines

Participants must not be colourblind.

### Materials

Desktop Computer, Windows 10, Matlab 2021b with PsychToolbox (<a href="http://psychtoolbox.org/">http://psychtoolbox.org/</a>)

# **Troubleshooting**

# Safety warnings



#### **EXCLUSION CRITERIA:**

- protected person;
- presence of known neuropsychological disorder;
- significant visual or hearing impairment;
- taking psychotropic medication or substance;
- epilepsy;
- pregnancy;
- nursing;
- frequent headaches; colourblindness

#### **INCLUSION CRITERIA**

Age between 18 and 60 years old,

- you have a level of study baccalaureate minimum,
- you have normal (or corrected) vision and hearing,
- you are affiliated with social security,
- you have signed an informed consent form.

### Before start

As detailed in the protocol participants will be required to sign the information sheet and the informed consent sheet before starting with the questionnaires and the testing session.



# **Training Session**



- 1 Participant Arrival
- 1.1 Informing the Participant about the Nature of the Experiment
- 1.2 Colourblindness Test
- 1.3 Signing of Information Sheet
- 1.4 Signing of Informed Consent
- 2 Questionnaires
- 2.1 Demographics Questionnaire
- 2.2 Edinburgh handedness Questionnaire
- 2.3 St.Mary's Sleep Questionnaire
- 2.4 **KSS**
- 2.5 SPS
- 3 Training
- 3.1 Task Explanation



- 3.2 Block 1-2 Training of 96 Stimuli (per Block) with Feedback
- 3.3 Block 3-5 Training of 96 Stimuli (per Block) without Feedback
- 3.4 If performance is not sufficient, then additional blocks of training will be performed
- 4 Finalization
- 4.1 **KSS**
- 4.2 SPS
- 4.3 Payment 5€


# **Testing Session**



- 5 Participant Arrival
- 5.1 Explaining the second session to the participant
- 6 Questionnaires
- 6.1 St. Mary's Hospital Sleep Questionnaire
- 6.2 KSS

6.3 SPS 7 Training 7.1 Task Explanation 7.2 1 Block (96 trials) half with feedback, half without 8 **Testing Session** 8.1 8 Blocks (288 trials) with 30 seconds rest in between 9 Finalization 9.1 SPS 9.2 **KSS** 10 Payment of 15€ **Single Trial Explanation** 11 Interstimulus Interval from jitter 350-850ms with mean 600ms






12 Instruction 400ms

Low / High

13 Stimulus



14 Response window (until response is recorded)



15

Feedback (in trials with Feedback)



Correct