VERSION 1

FEB 06, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.xqgfmtw

Protocol Citation: Kenneth Schackart, Kattika Kaarj 2019. *E. Coli* Optical Quantification. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.xqgfmtw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Feb 03, 2019

Last Modified: Feb 06, 2019

PROTOCOL integer ID:
 19944

E. Coli Optical Quantification V.1

Kenneth Schackart¹, Kattika Kaarj¹

¹University of Arizona

481b Laboratory

Kenneth Schackart
 University of Arizona

ABSTRACT

This procedure details how to culture *E. Coli* K-12 in suspension and quantify cultured bacteria using a spectrometer.

GUIDELINES

Labcoat and gloves must be worn at all times.

MATERIALS

- Gloves
- Lyophilized *E. Coli* K-12
- BHI Broth
- 15 mL centrifuge tubes
- Pipette and tips
- 70% Ethanol solution
- Kimwipes®
- Mini Spectrometer
- Cuvettes
- Computer with OceanView software

Inoculate Culture

- 1 Pipette 10 mL BHI broth into 15 mL centrifuge tube.
- 2 Place tube in incubator or water bath to warm.
- 3 Add 2 mg lyophilized *E. Coli* K-12 to warm BHI broth.
- 4 Close lid and shake gently.
- 5 Incubate at 37 °C for several hours.

Quantify Concentration

- 6 Dispense 1 mL BHI broth into cuvette.

Note

This should be broth *without* bacteria and will serve as your reference for calculating absorbance.

- 7 Carefully insert cuvette into spectrometer.

Note

Wipe cuvette with delicate task wipes if necessary.

8 Measure intensity at 600 nm.

9 Repeat Steps 6-8 with the samples cultured for different durations.

Note

Avoid pipetting any precipitation at the bottom of the culture tube. Draw only supernatant.

10 Using the BHI broth without bacteria as I_0 , calculate the absorbance of each of the samples.

11 Plot Absorbance as a function of time cultured. **Include this plot, and the table of intensities and calculated absorbances in the 'Results' section of your lab report.**