


Dec 13, 2023

© Establishment of patient-derived enteroids/colonoids from endoscopic biopsies

DOI

dx.doi.org/10.17504/protocols.io.14egn3rxql5d/v1



Tatiana Karakasheva¹

¹Children's Hospital of Philadelphia, Gastrointestinal Epithelium Modeling Program

CHOP Gastrointestinal Epithelium Modeling Program Tech. support email: karakashet@email.chop.edu



Tatiana Karakasheva

Children's Hospital of Philadelphia, Gastrointestinal Epithe...

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN ACCESS



DOI: https://dx.doi.org/10.17504/protocols.io.14egn3rxql5d/v1

Protocol Citation: Tatiana Karakasheva 2023. Establishment of patient-derived enteroids/colonoids from endoscopic biopsies. **protocols.io** https://dx.doi.org/10.17504/protocols.io.14egn3rxql5d/v1



License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: December 13, 2023

Last Modified: December 13, 2023

Protocol Integer ID: 92203

Keywords: colonoid culture from endoscopic biopsy, colonoids from endoscopic biopsy, colonoid culture, derived enteroid, colonoid, endoscopic biopsy, enteroid, murine tissue fragment, biopsy, establishment of patient, human tissue, procedure, full procedure, tissue

Funders Acknowledgements:

Children's Hospital of Philadelphia Research Institute

Disclaimer

DISCLAIMER - FOR INFORMATIONAL PURPOSES ONLY; USE AT YOUR OWN RISK

The protocol content here is for informational purposes only and does not constitute legal, medical, clinical, or safety advice, or otherwise; content added to <u>protocols.io</u> is not peer reviewed and may not have undergone a formal approval of any kind. Information presented in this protocol should not substitute for independent professional judgment, advice, diagnosis, or treatment. Any action you take or refrain from taking using or relying upon the information presented here is strictly at your own risk. You agree that neither the Company nor any of the authors, contributors, administrators, or anyone else associated with <u>protocols.io</u>, can be held responsible for your use of the information contained in or linked to this protocol or any of our Sites/Apps and Services.

Abstract

This protocol describes the full procedure of generating an enteroid or colonoid culture from endoscopic biopsy (either freshly procured or recovered from cryopreservation), was developed for human tissue, but works equally well for murine tissue fragments.

Attachments



enteroids_cryo_singl...

403KB



Troubleshooting

