

May 08, 2020

EVALUATION OF TEST ITEMS EFFICACY IN PROMOTING STROKE REHABILITATION IN THE RAT STROKE MODEL (t-MCAO).



 [PLOS One](#)

DOI

dx.doi.org/10.17504/protocols.io.bf69jrh6

Aharon Levy¹, Michael Krakovsky¹

¹Pharmaseed Ltd.



Ursula Germann

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.bf69jrh6

External link: <https://doi.org/10.1371/journal.pone.0233073>

Protocol Citation: Aharon Levy, Michael Krakovsky 2020. EVALUATION OF TEST ITEMS EFFICACY IN PROMOTING STROKE REHABILITATION IN THE RAT STROKE MODEL (t-MCAO).. [protocols.io https://dx.doi.org/10.17504/protocols.io.bf69jrh6](https://dx.doi.org/10.17504/protocols.io.bf69jrh6)

Manuscript citation:

Alam JJ, Krakovsky M, Germann U, Levy A (2020) Continuous administration of a p38 α inhibitor during the subacute phase after transient ischemia-induced stroke in the rat promotes dose-dependent functional recovery accompanied by increase in brain BDNF protein level. PLoS ONE 15(12): e0233073. doi: [10.1371/journal.pone.0233073](https://doi.org/10.1371/journal.pone.0233073)

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: May 08, 2020

Last Modified: May 08, 2020

Protocol Integer ID: 36801



Keywords: rat, stroke, ischemia, t-MCAO, tMCAO, neuroscore, mNSS, behavior, stepping, body swing, forelimb placing,

Abstract

The objective of this protocol is to present the details of the procedures for evaluating test items' (such as small molecules, biologics, and others) efficacy in promoting stroke rehabilitation, in the rat transient Middle Cerebral Carotid Occlusion (t-MCAO) model.

Attachments



tMCAO-Pharmasseed-

pr...

270KB

