JUL 05, 2017

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.incedbe

External link:
<https://doi.org/10.1093/gigascience/gix053>

Protocol Citation: Faezah Mohd Salleh, Jazmin Ramos-Madriral, Fernando Penaloza, Shanlin Liu, Mikkel-Holger S Sinding, Riddhi P Patel, Renata Martins, Dorina Lenz, Jorns Fickel, Christian Roos, Mohd Shahir Shamsir, Mohammad Shahfiz Azman, Burton K Lim, Stephen J Rossiter, Andreas Wilting, M Thomas P Gilbert 2017. Extraction Method E (PRP). **protocols.io** <https://dx.doi.org/10.17504/protocols.io.incedbe>

MANUSCRIPT CITATION: Salleh FM, Ramos-Madriral J, Peñaloza F, Liu S, Mikkel-Holger SS, Riddhi PP, Martins R, Lenz D, Fickel J, Roos C, Shamsir MS, Azman MS, Burton KL, Stephen JR, Wilting A, Gilbert MTP, An expanded mammal mitogenome dataset from Southeast Asia. GigaScience 6(8). doi: [10.1093/gigascience/gix053](https://doi.org/10.1093/gigascience/gix053)

Extraction Method E (PRP)

GigaScience

In 1 collection

Faezah Mohd Salleh¹, Jazmin Ramos-Madriral¹, Fernando Penaloza¹, Shanlin Liu¹, Mikkel-Holger S Sinding¹, Riddhi P Patel¹, Renata Martins¹, Dorina Lenz¹, Jorns Fickel¹, Christian Roos¹, Mohd Shahir Shamsir¹, Mohammad Shahfiz Azman¹, Burton K Lim¹, Stephen J Rossiter¹, Andreas Wilting¹, M Thomas P Gilbert¹

¹Natural History Museum of Denmark, Copenhagen, Denmark

GigaScience Press

Faezah Mohd Salleh

ABSTRACT

Gen-IALFirst All-tissue DNA extraction kit -This protocol provides an efficient DNA extraction and purification of fresh sample (tissue material)

MATERIALS

MATERIALS

Isopropanol **Contributed by users**

Proteinase K **Contributed by users**

Ethanol **Contributed by users**

BEFORE START INSTRUCTIONS

Clean

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Jun 26, 2017

Last Modified: Mar 09, 2018

PROTOCOL integer ID:
6566

Extraction

- 1 Cut tissue into small pieces.
- 2 Add 500 μ L Lyse 1, 50 μ L Lyse 2 and 10 μ L Proteinase K.

50 μ L Lyse 2

10 μ L Proteinase K
- 3 Incubation in a shaker at 65°C for 12 hours.

12:00:00 Incubation at 65°C
- 4 Centrifuge for 10 min. 13000rpm.

00:10:00 Centrifugation
- 5 Discard supernatant without disturbing the pellet.

- 6 Add 375 μ l Lyse 3
375 μ L Lyse 3
- 7 Vortex for 20 sec.
00:00:20 Vortex
- 8 Leave it for 5 min in the freezer (-20°C).
00:05:00 Freezer
- 9 Centrifuge 20 min. 13000rpm.
00:20:00 Centrifugation
- 10 Transfer the supernatant to a new tube.
- 11 Add 640 μ l Isopropanol.
640 μ L Isopropanol
- 12 Mix by inversion.
- 13 Centrifuge for 15 min 13000 rpm.
00:15:00 Centrifugation
- 14 Remove the supernatant (don't touch the pellet).

- 15** Add 150 µl Ethanol.
150 µL Ethanol
- 16** Centrifuge for 5 min 13000 rpm.
00:05:00 Centrifugation
- 17** Remove the Ethanol with a pipette (don't touch the pellet).
- 18** Try the pellet (37°C open lid max 5 min).
00:05:00 Drying
- 19** Re-suspend the pellet in 100 µl ddH2O water.
100 µL ddH2O
- 20** Prior to library construction, analyze small aliquots of each extract on Nanodrop (Thermo Fischer Scientific, Darmstadt, DE) for estimation of DNA concentration.