

May 13, 2020

## Find proteins of unknown function (PUF) using Plantannot - Protocol C

DOI

[dx.doi.org/10.17504/protocols.io.bf88jrzw](https://dx.doi.org/10.17504/protocols.io.bf88jrzw)

Marcos Viana<sup>1</sup>, Adhemar Zerlotini<sup>1</sup>, Mauricio Mudadu<sup>1</sup>

<sup>1</sup>Embrapa



Mauricio Mudadu

---

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.bf88jrzw](https://dx.doi.org/10.17504/protocols.io.bf88jrzw)

**Protocol Citation:** Marcos Viana, Adhemar Zerlotini, Mauricio Mudadu 2020. Find proteins of unknown function (PUF) using Plantannot - Protocol C . **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bf88jrzw>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** In development

**We are still developing and optimizing this protocol**

**Created:** May 11, 2020

**Last Modified:** May 13, 2020

**Protocol Integer ID:** 36864

## Entering application

1s

- 1 Enter the Plantannot Result's page, with empty filters and text box search:  
<https://www.machado.cnptia.embrapa.br/plantannot/find/?q=>

1s

Or you can enter the <https://www.machado.cnptia.embrapa.br/plantannot> initial page and click on the magnifying glass with the text box empty as well.



<https://www.machado.cnptia.embrapa.br/plantannot>

## Filtering

1s

- 2 Visualize the "Filters" card on the left of the page from step1:

1s



## Filters

### Organism (53)

apply

- Amaranthus hypochondriacus* (69,156)
- Amborella trichopoda* (80,538)
- Ananas comosus* (81,072)
- Aquilegia coerulea* (117,123)



### Feature type

apply

- gene (1,862,010)
- mRNA (2,332,974)
- polypeptide (2,332,974)

### Orthology

apply

- no orthology (4,636,180)
- orthology (1,891,778)

### Coexpression

apply

- no co-expression groups (6,381,557)
- co-expression groups (146,401)

### Orthologs\_coexpression

apply

- no co-expression (5,097,464)
- co-expression (1,430,494)

### Analyses

apply

- diamond matches (2,209,087)
- interproscan matches (1,903,332)
- no diamond matches (4,318,871)
- no interproscan matches

(4,624,626)

**Biomaterial** apply

- Leaf (144,826)
- Rosette leaves (21,968)
- Seedling (26,971)

**Treatment** apply

- Dehydration (66,121)
- Drought (134,012)
- Heat stress (50,409)
- Osmotic stress (130,599)

<https://www.machado.cnptia.embrapa.br/plantannot/find/?q=>

- 2.1 In the "Organisms" filter, select any organisms (expand the organism's list using the green arrow) or select all by leaving all boxes empty. We will use *Oropetium tomaeum* as example. Click "apply" to execute the filter:

1s

**Organism** (53)

apply

- Amaranthus hypochondriacus* (69,156)
- Amborella trichopoda* (80,538)
- Ananas comosus* (81,072)
- Aquilegia coerulea* (117,123)
- Arabidopsis halleri* (78,830)
- Arabidopsis lyrata* (97,337)
- Arabidopsis thaliana* (98,188)
- Boea hygrometrica* (143,334)
- Boechera stricta* (87,040)
- Brachypodium distachyon* (140,254)
- Brachypodium stacei* (102,612)
- Brassica oleracea* (106,200)
- Brassica rapa* (127,232)
- Capsella grandiflora* (77,927)
- Capsella rubella* (83,415)
- Carica papaya* (83,355)
- Citrus clementina* (92,391)
- Citrus sinensis* (117,673)
- Cucumis sativus* (82,231)
- Daucus carota* (96,349)
- Eucalyptus grandis* (128,909)
- Eutrema salsugineum* (84,919)
- Fragaria vesca* (98,493)
- Glycine max* (233,338)
- Gossypium raimondii* (192,039)
- Kalanchoe fedtschenkoi* (121,344)
- Kalanchoe laxiflora* (188,815)
- Linum usitatissimum* (130,439)
- Malus domestica* (190,548)
- Manihot esculenta* (115,795)
- Medicago truncatula* (175,532)
- Mimulus guttatus* (95,286)
- Musa acuminata* (109,584)
- Oropetium thomaeum* (85,338)
- Oryza sativa* (147,037)
- Panicum hallii* (136,936)
- Panicum virgatum* (348,885)
- Phaseolus vulgaris* (101,423)
- Populus trichocarpa* (187,361)
- Prunus persica* (121,051)
- Ricinus communis* (93,663)
- Salix purpurea* (160,905)

A list of organisms with checkboxes next to their names and associated counts in parentheses:

- Setaria italica* (120,586)
- Setaria viridis* (132,402)
- Solanum lycopersicum* (104,175)
- Solanum tuberosum* (151,458)
- Sorghum bicolor* (128,371)
- Spirodela polyrhiza* (58,869)
- Theobroma cacao* (118,260)
- Trifolium pratense* (122,552)
- Vitis vinifera* (79,038)
- Zea mays* (241,000)
- Zostera marina* (61,350)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum)

2.2 In the "Feature type" filter, select "polypeptide", and click "apply" to execute the filter:

1s

The "Feature type" filter interface shows three options:

- gene (1,862,010)
- mRNA (2,332,974)
- polypeptide (2,332,974)

An "apply" button is located in the top right corner of the filter box.

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)

2.3 In the Orthology filter, select "orthology", and click "apply" to execute the filter:

1s

The "Orthology" filter interface shows two options:

- no orthology (0)
- orthology (18,755)

"apply" and "remove" buttons are located in the top right corner of the filter box.

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)

- 2.4 In the "Orthologs\_coexpression" filter, select "co-expression", and click "apply" to execute the filter:

1s

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)

- 2.5 In the "Analyses" filter, select both "no diamond matches" and "no interproscan matches", and click "apply" to execute the filter:

1s

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)

- 2.6 Leave the "Coexpression" filter empty:

1s

**Coexpression** apply

---

no co-expression groups  
(18,755)

co-expression groups (0)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOrpetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOrpetium+thomaeum&selected_facets=so_term%3Apolyp)

2.7 Leave the "Biomaterial" and "Treatment" filters empty:

1s

**Biomaterial** apply

---

Leaf (0)

Rosette leaves (0)

Seedling (0)

**Treatment** apply

---

Dehydration (0)

Drought (0)

Heat stress (0)

Osmotic stress (0)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOrpetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOrpetium+thomaeum&selected_facets=so_term%3Apolyp)

3 After execution of all filters we will have the following list of filters:

1s



#### Selected filters

organism:*Oropetium thomaeum* ✕  
so\_term:polypeptide ✕  
orthology ✕  
coexpression in orthologs ✕  
analyses:no diamond matches ✕  
analyses:no interproscan matches ✕

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)

## Viewing results

1s

- 4 Visualize the "Results" card on the center-right of the screen, we will have the resulting list of *Oropetium*'s PUFs supposedly related to abiotic stress by using orthology and co-expression networks:

1s

## Results



Organism	Feature Type	Feature ID	Relationship	Display	Orthologous Group	Coexpression Group
Oropetium thomaeum	polypeptide	Oropetium_20150105_03170A.v1.0	mRNA		plantannot17078	
Oropetium thomaeum	polypeptide	Oropetium_20150105_03347A.v1.0	mRNA		plantannot147988	
Oropetium thomaeum	polypeptide	Oropetium_20150105_06293A.v1.0	mRNA		plantannot22668	
Oropetium thomaeum	polypeptide	Oropetium_20150105_07187A.v1.0	mRNA		plantannot9539	
Oropetium thomaeum	polypeptide	Oropetium_20150105_08656A.v1.0	mRNA		plantannot147954	
Oropetium thomaeum	polypeptide	Oropetium_20150105_09096A.v1.0	mRNA	PTHR13020:SF36 - EXPRESSED PROTEIN (1 of 1)	plantannot7088	
Oropetium thomaeum	polypeptide	Oropetium_20150105_10231A.v1.0	mRNA		plantannot148250	
Oropetium thomaeum	polypeptide	Oropetium_20150105_14188A.v1.0	mRNA		plantannot26702	
Oropetium thomaeum	polypeptide	Oropetium_20150105_18142A.v1.0	mRNA		plantannot39098	
Oropetium thomaeum	polypeptide	Oropetium_20150105_24954A.v1.0	mRNA		plantannot21729	

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolyp](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolyp)