

May 21, 2020

## Find Proteins of Unknown Function (PUFs) using Plantannot - Protocol B



Forked from [Find Proteins of Unknown Function \(PUFs\) using Plantannot - Protocol A](#)

DOI

[dx.doi.org/10.17504/protocols.io.bgdgjs3w](https://dx.doi.org/10.17504/protocols.io.bgdgjs3w)

Marcos Viana<sup>1</sup>, Mauricio Mudadu<sup>1</sup>, Adhemar Zerlotini<sup>1</sup>

<sup>1</sup>EMBRAPA



Marcos Viana

OPEN  ACCESS



DOI: [dx.doi.org/10.17504/protocols.io.bgdgjs3w](https://dx.doi.org/10.17504/protocols.io.bgdgjs3w)

External link: <https://www.machado.cnptia.embrapa.br/plantannot>

**Protocol Citation:** Marcos Viana, Mauricio Mudadu, Adhemar Zerlotini 2020. Find Proteins of Unknown Function (PUFs) using Plantannot - Protocol B. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bgdgjs3w>

**License:** This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

It is working

**Created:** May 14, 2020

**Last Modified:** May 21, 2020

**Protocol Integer ID:** 37000

## Abstract

The Plant annot softw are provi des sever al filters and a text searc h box that allow s searc hing for mole cules by its desir ed annot ation featur es. Thes e filters are need ed to obtai n PUFs and to try to relate them to abioti c stress es using RNA-seq expre ssion data and co-expre ssion netw orks.



The Filter  
s menu  
is separ  
ated in 8  
fields  
, of those  
we are  
going to  
use only  
five:  
"Orga  
nism",  
"Feat  
ure  
type",  
"Orth  
ology  
"  
"Orth  
ologs  
\_coex  
pressi  
on"  
and  
"Anal  
yses".  
The  
"Feat  
ure  
Type"  
filter  
has three  
mole  
cule  
types  
, from  
those  
the  
polyp  
eptid  
e box  
is the  
only  
that  
is  
going  
to be  
alway  
s  
chec  
ked  
and  
the  
other  
s



blank.  
By  
using  
the  
other  
4  
remain  
ing  
filters  
, 6  
proto  
cols  
were  
creat  
ed as  
exam  
ples  
of  
differ  
ent  
ways  
to  
select  
ing  
PUFs.  
Proto  
col A:  
using  
lack  
of  
both  
homo  
logy  
and  
protei  
n  
doma  
in  
signa  
tures.  
Proto  
col B:  
using  
lack  
of  
homo  
logy,  
prese  
nce  
of  
doma  
in  
signa  
tures  
-  
trying  
to  
select  
Doma  
ins of  
Unkn  
own  
Funct  
ion



(DUF) from PFAM, and the text search "Unknown function". Protocol C: using homology, lack of protein domain signatures and the text search "Unknown function". Protocol D-F: same protocols of A-C but using ortholog groups to find homolog proteins with co-expression data related to abiotic stress.




Protocol B is intended to find PUFs from organisms whose proteins are not yet in the NCBI's "nr" database and have DUF domains from PFAM found by InterproScan, selected using the text search "Unknown function".

## Entering application

- 1 Enter the Plantannot Result's page, with empty filters and text box search:  
<https://www.machado.cnptia.embrapa.br/plantannot/find/?q=>

Or you can enter the <https://www.machado.cnptia.embrapa.br/plantannot> initial page and click on the magnifying glass with the text box empty as well.



<https://www.machado.cnptia.embrapa.br/plantannot>

## Filtering

- 2 Find PUFs from organisms whose proteins are not yet in the NCBI's "nr" database and have PFAM's DUF domains found by InterproScan. Proteins will be selected using the text search "Unknown function".

Visualize the "Filters" card on the left of the page from step1:



## Filters

### Organism (53)

[apply](#)

- ☐ *Amaranthus hypochondriacus*  
(69,156)
- ☐ *Amborella trichopoda* (80,538)
- ☐ *Ananas comosus* (81,072)
- ☐ *Aquilegia coerulea* (117,123)



### Feature type

[apply](#)

- ☐ gene (1,862,010)
- ☐ mRNA (2,332,974)
- ☐ polypeptide (2,332,974)

### Orthology

[apply](#)

- ☐ no orthology (4,636,180)
- ☐ orthology (1,891,778)

### Coexpression

[apply](#)

- ☐ no co-expression groups  
(6,381,557)
- ☐ co-expression groups (146,401)

### Orthologs\_coexpression

[apply](#)

- ☐ no co-expression (5,097,464)
- ☐ co-expression (1,430,494)

### Analyses

[apply](#)

- ☐ diamond matches (2,209,087)
- ☐ interproscan matches (1,903,332)
- ☐ no diamond matches (4,318,871)
- ☐ no interproscan matches





(4,624,626)

**Biomaterial** apply

☐ Leaf (144,826)  
☐ Rosette leaves (21,968)  
☐ Seedling (26,971)

**Treatment** apply

☐ Dehydration (66,121)  
☐ Drought (134,012)  
☐ Heat stress (50,409)  
☐ Osmotic stress (130,599)

<https://www.machado.cnptia.embrapa.br/plantannot/find/?q=>

- 2.1 In the "Organisms" filter, select any organisms (expand the organism's list using the green arrow) or select all by leaving all boxes empty. We will use *Oropetium tomaeum* as example. Click "apply" to execute the filter:

**Organism (53)**

apply

- ☐ *Amaranthus hypochondriacus*  
(69,156)
- ☐ *Amborella trichopoda* (80,538)
- ☐ *Ananas comosus* (81,072)
- ☐ *Aquilegia coerulea* (117,123)
- ☐ *Arabidopsis halleri* (78,830)
- ☐ *Arabidopsis lyrata* (97,337)
- ☐ *Arabidopsis thaliana* (98,188)
- ☐ *Boea hygrometrica* (143,334)
- ☐ *Boechera stricta* (87,040)
- ☐ *Brachypodium distachyon*  
(140,254)
- ☐ *Brachypodium stacei* (102,612)
- ☐ *Brassica oleracea* (106,200)
- ☐ *Brassica rapa* (127,232)
- ☐ *Capsella grandiflora* (77,927)
- ☐ *Capsella rubella* (83,415)
- ☐ *Carica papaya* (83,355)
- ☐ *Citrus clementina* (92,391)
- ☐ *Citrus sinensis* (117,673)
- ☐ *Cucumis sativus* (82,231)
- ☐ *Daucus carota* (96,349)
- ☐ *Eucalyptus grandis* (128,909)
- ☐ *Eutrema salsugineum* (84,919)
- ☐ *Fragaria vesca* (98,493)
- ☐ *Glycine max* (233,338)
- ☐ *Gossypium raimondii* (192,039)
- ☐ *Kalanchoe fedtschenkoi* (121,344)
- ☐ *Kalanchoe laxiflora* (188,815)
- ☐ *Linum usitatissimum* (130,439)
- ☐ *Malus domestica* (190,548)
- ☐ *Manihot esculenta* (115,795)
- ☐ *Medicago truncatula* (175,532)
- ☐ *Mimulus guttatus* (95,286)
- ☐ *Musa acuminata* (109,584)
- ☒ *Oropetium thomaeum* (85,338)
- ☐ *Oryza sativa* (147,037)
- ☐ *Panicum hallii* (136,936)
- ☐ *Panicum virgatum* (348,885)
- ☐ *Phaseolus vulgaris* (101,423)
- ☐ *Populus trichocarpa* (187,361)
- ☐ *Prunus persica* (121,051)
- ☐ *Ricinus communis* (93,663)
- ☐ *Salix purpurea* (160,905)



- ☐ *Setaria italica* (120,586)
- ☐ *Setaria viridis* (132,402)
- ☐ *Solanum lycopersicum* (104,175)
- ☐ *Solanum tuberosum* (151,458)
- ☐ *Sorghum bicolor* (128,371)
- ☐ *Spirodela polyrhiza* (58,869)
- ☐ *Theobroma cacao* (118,260)
- ☐ *Trifolium pratense* (122,552)
- ☐ *Vitis vinifera* (79,038)
- ☐ *Zea mays* (241,000)
- ☐ *Zostera marina* (61,350)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum)

2.2 In the "Feature type" filter, select "polypeptide", and click "apply" to execute the filter:

**Feature type**applyremove

☐ gene (0)  
☐ mRNA (0)  
☒ polypeptide (2,551)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolypeptide](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolypeptide)

2.3 In the "Analyses" filter, select both "no diamond matches" and "interproscan matches", and click "apply" to execute the filter:

**Analyses**

apply remove

- ☐ diamond matches (0)
- ☒ interproscan matches (2,545)
- ☒ no diamond matches (2,545)
- ☐ no interproscan matches (0)

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolypeptide&selected\\_facets=analyses%3Ainterproscan+matches&selected\\_facets=analyses%3Ano+diamond+matches](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolypeptide&selected_facets=analyses%3Ainterproscan+matches&selected_facets=analyses%3Ano+diamond+matches)

2.4 Leave the "Orthology" and "Coexpression" and "Orthologs\_coexpression" filters empty:

**Orthology**

apply

- ☐ no orthology (2,347)
- ☐ orthology (204)

**Coexpression**

apply

- ☐ no co-expression groups (2,551)
- ☐ co-expression groups (0)

**Orthologs\_coexpression**

apply

- ☐ no co-expression (2,541)
- ☐ co-expression (10)

2.5 Leave the "Biomaterial" and "Treatment" filters empty:

**Biomaterial**
apply

☐ Leaf (0)  
☐ Rosette leaves (0)  
☐ Seedling (0)

**Treatment**
apply

☐ Dehydration (0)  
☐ Drought (0)  
☐ Heat stress (0)  
☐ Osmotic stress (0)

2.6 In addition to the applied filters, text search for "Unknown function" in the search box. After entering the text click on the magnifying glass icon to apply the search.

Unknown function 🔍

Filters

Selected filters

Results

Organism	Feature Type	Feature ID	Relationship	Display
Oropetium	polypeptide	Oropetium_20150105_01079A.v1.0_mRNA	BE19022	Details of unknown function

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=Unknown+function&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolypeptide&selected\\_facets=analyses%3Ainterproscan+matches&selected\\_facets=analyses%3Aano+diamond+matches](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=Unknown+function&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolypeptide&selected_facets=analyses%3Ainterproscan+matches&selected_facets=analyses%3Aano+diamond+matches)

## Filters

3 After execution of all filters we will have the following list of filters:

**Selected filters**

search:Unknown function ✕

organism:Oropetium thomaeum ✕

so\_term:polypeptide ✕

analyses:interproscan matches ✕

analyses:no diamond matches ✕

[https://www.machado.cnptia.embrapa.br/plantannot/find/?q=Unknown+function&selected\\_facets=organism%3AOropetium+thomaeum&selected\\_facets=so\\_term%3Apolypeptide&selected\\_facets=analyses%3Ainterproscan+matches&selected\\_facets=analyses%3Ano+diamond+matches](https://www.machado.cnptia.embrapa.br/plantannot/find/?q=Unknown+function&selected_facets=organism%3AOropetium+thomaeum&selected_facets=so_term%3Apolypeptide&selected_facets=analyses%3Ainterproscan+matches&selected_facets=analyses%3Ano+diamond+matches)

## Viewing results

4 Visualize the "Results" card on the center-right of the screen, we will have the resulting list of *Oropetium*'s PUFs, 8 PUFs were filtered:

Organism	Feature Type	Feature ID	Relationship	Display	Orthologous Group	Coexpression Group
Oropetium thomaeum	polypeptide	Oropetium_20150105_01078Av1.0	mRNA	PF12023 - Domain of unknown function (DUF3511) (DUF3511) (1 of 6)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_03125Av1.0	mRNA	PF06376 - Protein of unknown function (DUF1070) (DUF1070) (1 of 9)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_03513Av1.0	mRNA	PF03478 - Protein of unknown function (DUF295) (DUF295) (1 of 52)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_06370Av1.0	mRNA	PF08213 - Mitochondrial domain of unknown function (DUF1713) (DUF1713) (1 of 1)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_07160Av1.0	mRNA	PF06533 - Protein of unknown function (DUF1110) (DUF1110) (1 of 4)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_19562Av1.0	mRNA	PF03478 - Protein of unknown function (DUF295) (DUF295) (1 of 52)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_23984Av1.0	mRNA	PF03195 - Protein of unknown function DUF260 (DUF260) (1 of 34)		
Oropetium thomaeum	polypeptide	Oropetium_20150105_24873Av1.0	mRNA	PF05097 - Protein of unknown function (DUF688) (DUF688) (1 of 13)	plantannot66633	

