

Apr 13, 2020

Version 1

## Fresh 4% Paraformaldehyde in PBS V.1

DOI

<https://dx.doi.org/10.17504/protocols.io.bezijf4e>

Allen Institute for Brain Science<sup>1</sup>

<sup>1</sup>Allen Institute

BICCN / BICAN

Allen Institute for Brain S...



Allen Institute

Allen Institute

### Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.bezijf4e>

**Protocol Citation:** Allen Institute for Brain Science 2020. Fresh 4% Paraformaldehyde in PBS. **protocols.io**  
<https://dx.doi.org/10.17504/protocols.io.bezijf4e>

**License:** This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

**Protocol status:** Working

**We use this protocol and it's working**

**Created:** April 13, 2020

**Last Modified:** March 17, 2021

**Protocol Integer ID:** 35594

**Keywords:** RP0196, fixation, perfusion, solution, mouse, mouse brains during the transcardial perfusion process, transcardial perfusion, transcardial perfusion process, preparation, developing mouse brain, immersion fixation,

## Abstract

Freshly prepared 4% Paraformaldehyde in PBS is used to fix adult and developing mouse brains during the transcardial perfusion process, as well as for immersion fixation. This solution can be used for no more than one week post-preparation date.

**Note:** Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

## Attachments



RP0196\_Fresh\_4percen..

40KB

