VERSION 2

SEP 01, 2018

OPEN ACCESS

DOI:
[dx.doi.org/10.17504/protocols.io.sbceaiw](https://doi.org/10.17504/protocols.io.sbceaiw)

External link:
<https://doi.org/10.1371/journal.pone.0202863>

Protocol Citation: Omar Valencia 2018. Gamma-diversity partitioning of gobiid fishes (Teleostei: Gobiidae) ensemble along of Eastern Tropical Pacific: biological inventory, latitudinal variation and species turnover.
protocols.io
<https://dx.doi.org/10.17504/protocols.io.sbceaiw>

MANUSCRIPT CITATION:
 Valencia-Méndez O, Rodríguez-Zaragoza FA, Calderon-Aguilera LE, Domínguez-Domínguez O, López-Pérez A (2018) Gamma-diversity partitioning of gobiid fishes (Teleostei: Gobiidae) ensemble along of Eastern Tropical Pacific: Biological inventory, latitudinal variation and species turnover. PLoS ONE 13(8): e0202863. doi: [10.1371/journal.pone.0202863](https://doi.org/10.1371/journal.pone.0202863)

Gamma-diversity partitioning of gobiid fishes (Teleostei: Gobiidae) ensemble along of Eastern Tropical Pacific: biological inventory, latitudinal variation and species turnover V.2

PLOS One

Omar Valencia¹

¹Universidad Autónoma Metropolitana - Iztapalapa

Omar Valencia

ABSTRACT

PCO plot based on gobies fish incidence data. All marine ecoregions and provinces were grouped *sensu* Spalding et al. (2007). Jaccard similarity was used as a resemblance measure of species composition.

ATTACHMENTS

[Fig 3.pdf](#)

GUIDELINES

This PCO was obtained following <http://www.primer-e.com/> PRIMER-E statistical program

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Aug 02, 2018

Last Modified: Sep 01, 2018

PROTOCOL integer ID:
14404