OCT 24, 2017

OPEN ACCESS

DOI:
[dx.doi.org/10.17504/protocols.io.kfictke](https://doi.org/10.17504/protocols.io.kfictke)

External link:
<http://merenlab.org/2016/06/22/anvio-tutorial-v2/>

Protocol Citation: A. Murat Eren, Bonnie L Hurwitz 2017. Getting started with Anvi'o. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.kfictke>

MANUSCRIPT CITATION:
 Eren AM, Esen ÖC, Quince C, Vineis JH, Morrison HG, Sogin ML, Delmont TO. (2015) Anvi'o: an advanced analysis and visualization platform for 'omics data. PeerJ 3:e1319 <https://doi.org/10.7717/peerj.1319>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: Oct 24, 2017

Getting started with Anvi'o

Forked from [MG_HW9: Getting started with Anvi'o](#)

A. Murat Eren¹, Bonnie L Hurwitz²

¹University of Chicago; ²University of Arizona

Metafunc Course 2017

Bonnie L Hurwitz
University of Arizona

ABSTRACT

Adapted from <http://merenlab.org/2016/06/22/anvio-tutorial-v2/>

BEFORE START INSTRUCTIONS

The goal of this tutorial is to provide a brief overview of the anvi'o workflow for the analysis of assembly-based shotgun metagenomic data. Throughout this tutorial you will primarily learn about the following topics:

- Process your contigs

Open an Anvi'o terminal

- 1 If you are here, you must have already [installed](#) the platform (hopefully without much trouble), and have run the infamous "[mini test](#)" successfully.
It is always a good idea to stick with stable versions of the platform, as the snapshots from [the codebase](#) can be very unstable and/or broken. However we also need people who like to live at the edge, and who would follow the development, test new features, join discussions, and push us to do better.

Download contigs.fa from the HPC to create the contigs.db...

- 2 We are going to download the contigs.fa file from the HPC

To run the anvi'o metagenomic workflow, you will need these files:

- **A FASTA file of your contigs.** We shall call it

```
contigs.fa
```

throughout this manual. We will assume that

```
contigs.fa
```

contains contigs from a co-assembly. However, it may also have been a reference genome from NCBI, a metagenome-assembled genome (MAG), or a bunch of genes you are interested in profiling. Regardless of what it contains, following steps will not change too much.

- Your FASTA file must have simple deflines, and if it doesn't have simple deflines, you must fix your FASTA file prior to mapping. We created this in a past protocol, be sure you download `fixed-contigs.fa`

Note

Is this meant to be ran in anvi'o? I'm getting an error message (bash: scp: command not found) when I do.

Command

copying to a file called **contig.fa** into the **anvi'o** directory.

```
scp netid@sftp.hpc.arizona.edu:/rsgrps/bh_class/username/assembly/megahit-out/fixed-contigs.fa contigs.fa
```

Creating a contigs database in Anvi'o

- 3** An anvi'o contigs database will keep all the information related to your contigs: positions of open reading frames, k-mer frequencies for each contigs, where splits start and end, functional and taxonomic annotation of genes, etc. The contigs database is an essential component of everything related to anvi'o metagenomic workflow.

Create the initial **contigs.db** from the **contigs.fa** file using the command below.

When you run this command,

```
anvi-gen-contigs-database
```

will,

Compute k-mer frequencies for each contig (the default is

```
4
```

, but you can change it using

```
--kmer-size
```

parameter if you feel adventurous).

Soft-split contigs longer than 20,000 kbp into smaller ones (you can change the split size using the

```
--split-length
```

). When gene calling step is not skipped, the process splitting contigs will consider where genes are and avoid cutting genes in the middle. For very very large assemblies this process can take a while, and you can skip it with

```
--skip-mindful-splitting
```

flag.

Identify open reading frames using [Prodigal](#), the bacterial and archaeal gene finding program developed at Oak Ridge National Laboratory and the University of Tennessee. If you don't want gene calling to be done, you can use the flag

```
--skip-gene-calling
```

to skip it. If you have your *own* gene calls, you can provide them to be used to identify where genes are in your contigs. All you need to do is to use the parameter

```
--external-gene-calls
```

(see down below for the format).

Note

Where should we be doing this? I keep getting this error whether I run it in on cygwin or through anvio: -bash: anvi-gen-contigs-database: command not found

Note

PC users

When you scp your files using Cygwin, move those files to a new folder in Documents. Then in docker quickstart terminal navigate to that folder and do pwd to get the full path. Then to launch Anvio:

```
docker run --rm -v /path/to/files:/my_data -p 8080:8080 -it meren/anvio:latest
```

Additional troubleshooting- if having issues do docker ps and see if there are existing sessions. If so do docker kill [session id]

Command

```
anvi-gen-contigs-database -f contigs.fa -o contigs.db
```

Run HMMs

- 4 Anvi'o can do a lot with hidden Markov models ([HMMs](#) provide statistical means to model complex data in probabilistic terms that can be used to search for patterns, which works beautifully in bioinformatics where we create models from known sequences, and then search for those patterns rapidly in a pool of unknown sequences to recover hits). To decorate your contigs database with hits from HMM models that ship with the platform (which, at this point, constitute multiple published bacterial single-copy gene collections), run this command:

Note

When you run this command (without any other parameters),

- It will utilize multiple default bacterial single-copy core gene collections and identify hits among your genes to those collections using HMMER. If you have already run this once, and now would like to add an HMM profile of your own, that is easy. You can use

```
--hmm-profile-dir
```

parameter to declare where should anvi'o look for it.

- Note that the program will use only one CPU by default, especially if you have multiple of them available to you, you should use the

```
--num-threads
```

parameter. It significantly improves the runtime, since [HMMER](#) is truly an awesome software.

Command

```
anvi-run-hmms -c contigs.db
```

Read the Anvi'o paper

- 5 Read the [Anvi'o paper](#). Why are we using hidden markov models to profile our contigs? How many raw hits were detected on your contigs from Campbell_et_al and Creevey_et_al? What are these papers about? What did they do to create these profiles? Add this into your google report (as a few lines of text) when you describe your steps in the methods for importing contigs into Anvi'o.