JUN 26, 2019

OPEN ACCESS

DOI:
[dx.doi.org/10.17504/protocols.io.4acgsaw](https://doi.org/10.17504/protocols.io.4acgsaw)

External link:
<https://doi.org/10.3389/fmicb.2020.00005>

Protocol Citation: Mark Moosburner, Andrew E Allen 2019. GG2 - CRISPR-Cas9 episome cloning using red-blue screening for *Phaeodactylum tricornutum*. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.4acgsaw>

MANUSCRIPT CITATION: Moosburner MA, Gholami P, McCarthy JK, Tan M, Bielinski VA, Allen AE, Multiplexed Knockouts in the Model Diatom by Episomal Delivery of a Selectable Cas9. *Frontiers in Microbiology* doi: [10.3389/fmicb.2020.00005](https://doi.org/10.3389/fmicb.2020.00005)

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

GG2 - CRISPR-Cas9 episome cloning using red-blue screening for *Phaeodactylum tricornutum*

Frontiers in Microbiology

Mark Moosburner¹, Andrew E Allen¹

¹University of California, San Diego

A.E. Allen Lab

Mark Moosburner

Scripps Institution of Oceanography, J. Craig Venter Institu...

ABSTRACT

To ensure Cas9 activity upon episomal transformation, the 3' end of the Cas9 coding sequencing was transcriptionally fused to an antibiotic selectable marker, shble, by the 2A peptide. The Cas9-2A-shble construct was cloned into a *Phaeodactylum* episome that included a bacterial expression cassette for a red fluorescent protein (RFP). The RFP was also flanked by two BsaI restriction digest sites. The RFP vector with Cas9 was used as a cloning vector to assembly one or more sgRNA *Phaeodactylum* expression cassettes and a single LacZ bacterial expression cassette in place of the RFP. Upon successful assembly, the correct colonies appear blue on selective agar plates while incorrect colonies appear either red or colorless. The golden gate assembly protocol used to synthesize the episome (g51092-2, g24739-A) is as follows:

ATTACHMENTS

[GG2_ sgRNA cloning into Cas9 episome using red-blue screening.pdf](#)

Created: Jun 17, 2019

Last Modified: Jun 26, 2019

PROTOCOL integer ID:
24612

Keywords: CRISPR, Cas9,
cloning, conjugation, episome,
diatom, phaeodactylum