

Mar 21, 2024

HuBMAP | GE HealthCare/UPitt Cell DIVE™ and scRNA Modality Overview

DOI

<https://dx.doi.org/10.17504/protocols.io.x54v92ekzl3e/v1>

Liz McDonough¹

¹GE HealthCare

Human BioMolecular Atl...

GE Research



Liz McDonough

GE HealthCare

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.x54v92ekzl3e/v1>

Protocol Citation: Liz McDonough 2024. HuBMAP | GE HealthCare/UPitt Cell DIVE™ and scRNA Modality Overview. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.x54v92ekzl3e/v1>

License: This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: March 21, 2024

Last Modified: March 22, 2024

Protocol Integer ID: 97070

Keywords: scrna modality overview, upitt collaboration for the human biomolecular atlas program, hubmap, human biomolecular atlas program, upitt cell dive, ge healthcare, upitt collaboration, overview of all protocol, cell

Funders Acknowledgements:

HuBMAP

Grant ID: U54 AR081775-01

Disclaimer

The [protocols.io](https://www.protocols.io) team notes that research involving animals and humans must be conducted according to internationally-accepted standards and should always have prior approval from an Institutional Ethics Committee or Board.

Abstract

This is an overview of all protocols currently in use for the 2024 GE HealthCare/UPitt collaboration for the Human BioMolecular Atlas Program (HuBMAP). It includes links to each of the individual protocols that make up this project workflow.



Obtaining Donors and Tissue Blocks

- 1 Confirm donor acceptance criteria for inclusion.

Donor Acceptance Criteria for GE/UPitt HuBMAP Inclusion

- 2 5 mm skin biopsies obtained from donor subjects are divided into two parts, with one half for formalin fixed and paraffin embedded (FFPE) processing and the other half for skin digestion for further scRNA analysis.

scRNA Analysis

- 3 Perform skin digestion and scRNA analysis.

HuBMAP | Digestion and scRNA Analysis of Skin

Cell DIVE Multiplexed Immunofluorescence (MxIF)

- 4 Prepare formalin fixed and paraffin embedded (FFPE) blocks and tissue sections.

HuBMAP | Formalin Fixation and Paraffin Embedding of Tissue Samples

HuBMAP | Sectioning of FFPE Specimens

- 5 Deparaffinize and rehydrate slides.

Cell DIVE™ Platform | Slide Clearing and Antigen Retrieval

- 6 Characterize antibodies (primary/secondary, direct conjugates, and zenon labelled antibodies) and determine any antigen effects from the Cell DIVE dye inactivation process.

Cell DIVE™ Platform | Antibody Characterization for Multiplexing

Cell DIVE™ Platform | Antibody Staining & Imaging

- 7 Prepare direct conjugates for study.

Cell DIVE™ Platform | Antibody Purification Chemistry

Cell DIVE™ Platform | Ab Conjugation: Initial Conjugation & Scale up Conjugation

- 8 Perform Cell DIVE™ multiplexed data acquisition on the final cohort.



Note

Staining is done using the Leica Bond MAX and images are acquired on the IN Cell Analyzer 2200.