VERSION 2

OCT 04, 2019

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.7yihpue

Protocol Citation: Bulent Arman Aksoy, Pinar Aksoy, Megan Wyatt, Chrystal M. Paulos, Jeff Hammerbacher 2019. Human primary T cell culture media. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.7yihpue>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Oct 04, 2019

Last Modified: Oct 04, 2019

PROTOCOL integer ID:
 28394

Human primary T cell culture media V.2

Bulent Arman Aksoy¹, Pinar Aksoy¹, Megan Wyatt¹, Chrystal M. Paulos¹, Jeff Hammerbacher¹

¹Medical University of South Carolina

Hammer Lab

Tech. support phone: +18437924527 email: arman@hammerlab.org

Bulent Arman Aksoy

Medical University of South Carolina

MATERIALS

MATERIALS

✕ EMD Millipore™ Stericup™ Sterile Vacuum Filter Units **Fisher Scientific Catalog #SCGPU05RE**

✕ Corning™ RPMI 1640 Medium (Mod.) 1X with L-Glutamine **Fisher Scientific Catalog #MT10041CV**

✕ HyClone™ HEPES Solution **Fisher Scientific Catalog #SH3023701**

✕ Fetal Plus® **Atlas Biologicals Catalog # FP-0500-A**

✕ Penicillin-Streptomycin (10,000 U/mL) **Thermo Fisher Scientific Catalog #15140122**

✕ Gibco™ Sodium Pyruvate (100mM) **Fisher Scientific Catalog #11-360-070**

✕ HyClone™ Non Essential Amino Acids NEAA 100x solution **Fisher Scientific Catalog #SH3023801**

Mix components

- 1 Mix all in [a 500 ml 0.22 um filter bottle](#) in the hood:
- 2 500 ml RPMI-1640 ([Corning™ cellgro™ RPMI 1640 Medium \(Mod.\) 1X with L-Glutamine](#))
- 3 25 ul of [EMD Millipore™ Calbiochem™ β-Mercaptoethanol, Molecular Biology Grade](#) (715 uM)
- 4 12.5 ml of [HyClone™ HEPES Solution](#) (25 mM)
- 5 50 ml of FBS ([Fetal Plus®](#))
- 6 5 ml of [Penicillin-Streptomycin](#) (1%)
- 7 5 ml of [HyClone™ 100mM Sodium Pyruvate Solution](#) (1X) 5 ml of [HyClone™ Non Essential Amino Acids NEAA 100x solution](#) (1X)

Filter and aliquot

- 8 Sterile filter (0.22um) and aliquot in 50 ml falcon tubes. Keep the media in the fridge, protect from light.