OCT 19, 2019

Hybridization of DNA oligos

Laura Sánchez¹

¹AEGIS - Madrid iGEM Team 2019

AEGIS - Madrid iGEM 2019

Manuela De Las Casas

Universidad Complutense de Madrid, AEGIS - Madrid iGEM 2019

ABSTRACT

This protocol is used to hibridate two complementary DNA chains.

MATERIALS

Equipment

- Thermocycler
- Vortex
- Centrifuge

Reagents

- 1.0 M NaCl
- Sterile H2O

DNA

- Promoters 5'
- Promoters 3'

SAFETY WARNINGS

Lab coat and gloves should be weared throughout the whole experiment. All working surfaces must be clean and all the reactivesshould be treated following manufacturer's instructions.

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.8guhtww

Protocol Citation: Laura Sánchez 2019. Hybridization of DNA oligos. **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.8guhtww>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Oct 19, 2019

Last Modified: Oct 19, 2019

PROTOCOL integer ID:
 28916

Annealing of oligonucleotides

- 1 Add the required volume of H₂O to the lyophilized oligonucleotides to obtain a concentration of 100 µM.

Vortex both tubes for 30 s and incubate them at RT for 5 min to dissolve them.

- 2** Prepare the annealing mix by adding into a PCR tube:
 - > 45.5 μl of H_2O
 - > 2.5 μl of 1.0 M NaCl
 - > 1 μl of oligo 5' (100 μM)
 - > 1 μl of the oligo 3' (100 μM)
- 3** Place the PCR tube with the mix in a thermocycler with the following annealing programme:
 - 5 min at 95°C
 - 1 min at 95°C
 - ramp down 1°C per cycle for 72 cycles
 - end by keeping the temperature at 10°C
- 4** Take 10 μl of the annealed oligonucleotides and dilute it with 90 μl of H_2O to obtain a 0.2 μM concentration.
- 5** The annealed oligonucleotides stocks can be stored at -20°C for future use.