

Oct 07, 2024

 ICD-11 post-traumatic stress disorder (PTSD) and complex post-traumatic stress disorder (CPTSD) assessed with the International Trauma Interview (ITI) and International Trauma Questionnaire (ITQ) for trauma-affected civilians and refugees in two outpatient clinics in Denmark: a study protocol.

DOI

<https://dx.doi.org/10.17504/protocols.io.rm7vzjz98lx1/v1>

Maja Bruhn^{1,2}, Hinuga Sandahl¹, Mads Jensen³, Henriette Laugesen^{1,2}, Sofie Folke⁴, Jessica Carlsson^{1,2}

¹Competence Centre for Transcultural Psychiatry, Mental Health Centre Ballerup, Mental Health Services CPH, Ballerup, Denmark;

²Department of Clinical Medicine, University of Copenhagen, Copenhagen, Denmark;

³Psychotherapeutic Unit, Mental Health Centre Ballerup, Mental Health Services CPH, Ballerup, Denmark;

⁴Research and Knowledge Centre, Danish Veterans Centre, Ringsted, Denmark



Maja Bruhn

Competence Centre for Transcultural Psychiatry

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.rm7vzjz98lx1/v1>

Protocol Citation: Maja Bruhn, Hinuga Sandahl, Mads Jensen, Henriette Laugesen, Sofie Folke, Jessica Carlsson 2024. ICD-11 post-traumatic stress disorder (PTSD) and complex post-traumatic stress disorder (CPTSD) assessed with the International Trauma Interview (ITI) and International Trauma Questionnaire (ITQ) for trauma-affected civilians and refugees in two outpatient. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.rm7vzjz98lx1/v1>

License: This is an open access protocol distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: October 07, 2024

Last Modified: October 07, 2024

Protocol Integer ID: 109250

Keywords: international trauma questionnaire, international trauma interview, itq for diverse trauma, complex ptsd, diverse trauma, trauma history, including trauma history, trauma, iti in clinical setting, mental health symptom, mental health, insights into the clinical utility, specialized outpatient clinics in denmark, outpatient this study protocol, clinical utility, clinical variable, qualitative insights from clinician focus group, refugee, affected civilian, evaluating clinician time expenditure, cptsd diagnosis, assessment tool, stress, assessment, functional outcome, cptsd

Abstract

This study protocol outlines a research project aimed at investigating the two assessment tools for post-traumatic stress disorder (PTSD) and complex PTSD (CPTSD) based on the ICD-11 framework: the International Trauma Interview (ITI) and the International Trauma Questionnaire (ITQ). The study is conducted at two specialized outpatient clinics in Denmark, focusing on trauma-affected civilians and refugees.

With a sample size of 100 participants, equally divided between the two clinics, the study has three primary objectives: (1) to assess the feasibility of implementing the ITI in clinical settings by evaluating clinician time expenditure and clinical utility; (2) to determine the prevalence and diagnostic consistency of ICD-11 PTSD and CPTSD as measured by the ITI and ITQ; and (3) to compare the two study populations on various sociodemographic and clinical variables, including trauma history, mental health symptoms, and functional outcomes. This study employs a mixed-methods approach, integrating quantitative data collection through standardized measures and qualitative insights from clinician focus groups. Results will contribute to the growing body of evidence on PTSD and CPTSD diagnosis, providing insights into the clinical utility of the ITI and the ITQ for diverse trauma-affected populations.

Attachments



[Protocol for ITI stu...](#)

227KB

1