Imaging Mass Cytometry Modality Overview V.1

Michelle Daniel¹, Marda Jorgensen²

¹University of Zurich; ²University of Florida

Human BioMolecular Atlas Program (HuBMAP) Method Development Community

Tech. support email: Jeff.spraggins@vanderbilt.edu

VERSION 1
MAY 08, 2020

Francesca Farris

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.bf3kjqkw

Protocol Citation: Michelle Daniel, Marda Jorgensen 2020. Imaging Mass Cytometry Modality Overview . **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bf3kjqkw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
We use this protocol and it's working

Created: May 06, 2020

Last Modified: May 08, 2020

PROTOCOL integer ID:
36684

Keywords: HuBMAP, Imaging
Mass Cytometry, TMC-
Florida/Zurich

- 1 Process donor organs into samples for analysis.
Lymph Node: [dx.doi.org/10.17504/protocols.io.bbgnijve](https://doi.org/10.17504/protocols.io.bbgnijve)
Thymus: [dx.doi.org/10.17504/protocols.io.bbgmiju6](https://doi.org/10.17504/protocols.io.bbgmiju6)
Spleen: [dx.doi.org/10.17504/protocols.io.bc3kiykw](https://doi.org/10.17504/protocols.io.bc3kiykw)
- 2 Register organ donor, organs received, and common coordinate region information in the HuBMAP UUID generator at
<https://uuid.hubmapconsortium.org>
- 3 Prepare paraffin blocks from tissue samples.
Cassette Processing: [dx.doi.org/10.17504/protocols.io.8nzhvf6](https://doi.org/10.17504/protocols.io.8nzhvf6)
Paraffin Embedding: [dx.doi.org/10.17504/protocols.io.bam9ic96](https://doi.org/10.17504/protocols.io.bam9ic96)
- 4 Package and send paraffin blocks to the Bodenmiller lab:
[dx.doi.org/10.17504/protocols.io.bf5njq5e](https://doi.org/10.17504/protocols.io.bf5njq5e)
- 5 Conjugate primary antibodies using the Maxpar Antibody Labeling Kit:
[dx.doi.org/10.17504/protocols.io.bf5jjq4n](https://doi.org/10.17504/protocols.io.bf5jjq4n)
- 6 Cut and mount paraffin sections for staining and analysis.
Sectioning: [dx.doi.org/10.17504/protocols.io.bfz4jp8w](https://doi.org/10.17504/protocols.io.bfz4jp8w)
- 7 Antibody staining of paraffin sections for Imaging Mass Cytometry:
[dx.doi.org/10.17504/protocols.io.bfz8jp9w](https://doi.org/10.17504/protocols.io.bfz8jp9w)
- 8 Prepare a slide to use for compensation: [dx.doi.org/10.17504/protocols.io.bf2djqa6](https://doi.org/10.17504/protocols.io.bf2djqa6)

- 9 Tune the Image Mass Cytometer for acquisition: dx.doi.org/10.17504/protocols.io.bf2gjqbw
- 10 Data Acquisition by Image Mass Cytometry: dx.doi.org/10.17504/protocols.io.bf2ijqce
- 11 Compensation Slide Acquisition: dx.doi.org/10.17504/protocols.io.bf2jjqcn
- 12 Load Imaging Mass Cytometry Datasets onto Hipergator:
☐ IMC_Transfer Data Zurich to HPG.docx
- 13 Prepare and upload data to the HuBMAP HIVE Globus landing pad using Hipergator.
☐ IMC Transfer data from Hipergator to HuBMAP HIVE Globus.docx