VERSION 1
MAY 15, 2020

Installation instructions for phylogenetic analysis using a conda environment V.1

Laise Moraes¹

¹Fundação Oswaldo Cruz / Instituto Gonçalo Moniz

Laise Moraes

Fundação Oswaldo Cruz / Instituto Gonçalo Moniz

ABSTRACT

The purpose of this protocol is to define and provide instructions for creating a conda environment for phylogenetic analysis

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.bgd4js8w

Protocol Citation: Laise Moraes 2020. Installation instructions for phylogenetic analysis using a conda environment. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.bgd4js8w>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

Created: May 14, 2020

Last Modified: May 15, 2020

PROTOCOL integer ID:
37020

Installing Miniconda

- 1 Open a terminal (Ctrl + Alt + T).
Create a directory called softwares to your HOME directory, switch to it and then download the 64-bit Python 3 Miniconda installer.
Install Miniconda quietly, accepting defaults.
After installation, remove the Miniconda installer from directory.
Set the Miniconda permanent PATH and update conda packages to the latest compatible version.

Command

```
mkdir $HOME/softwares
cd $HOME/softwares
wget https://repo.continuum.io/miniconda/Miniconda3-latest-Linux-x86_64.sh
bash Miniconda3-latest-Linux-x86_64.sh -bfp $HOME/softwares/conda
rm Miniconda3-latest-Linux-x86_64.sh
export PATH="$HOME/softwares/conda/bin:/usr/local/share/rsi/idl/bin:$PATH"
echo 'export PATH="$HOME/softwares/conda/bin:/usr/local/share/rsi/idl/bin:$PATH"' >>
$HOME/.bashrc
conda update -y -n base conda
```

Creating conda environment

- 2 Create a YML file to build a phylogenetic analysis environment called phy.

Command

```
cat > phy.yml <<EOF
name: phy
channels:
  - bioconda
  - anaconda
dependencies:
  - bcftools
  - biopython
  - bwa
  - clustalo
  - fasttree
  - gbmunge
  - iqtree
  - mafft
  - modeltest-ng
  - phymml
  - samtools
EOF
```

3 Create the environment from the phy.yml file

Command

```
conda env create -f phy.yml
```