VERSION 1

JAN 14, 2019

Instructions for recreating the elPrep 4.0.0 WES benchmarks V.1

Charlotte Herzeel¹

¹ExaScience Life Lab, imec, Leuven, Belgium

Charlotte Herzeel

ABSTRACT

This protocol describes how to recreate the elPrep 4.0.0 benchmarks for WES data.

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.wzxff7n

Protocol Citation: Charlotte Herzeel 2019. Instructions for recreating the elPrep 4.0.0 WES benchmarks.

protocols.io

<https://dx.doi.org/10.17504/protocols.io.wzxff7n>

MANUSCRIPT CITATION:

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol to perform the benchmarks for our paper.

Created: Jan 11, 2019

Last Modified: Jan 14, 2019

PROTOCOL integer ID:

19223

Keywords: elprep, tool,
markduplicates, bqs, sort,
sam, bam

1

Note

These instructions have been tested with elPrep v.4.0.1. The following assumes that everything is performed from a working directory WORKDIR.

Configuration

1.1 Hardware

Note

- * 2x18-core Intel Xeon processor E5-2699v3 Haswell @ 2.3GHz
- * 256 GB RAM
- * 2x400 GB SSD

1.2 Software

Note

- * Ubuntu 14.04.5 LTS
- * elPrep 4.0.1

2 Installation

Software

elPrep

NAME

imec

DEVELOPER

<https://github.com/ExaScience/elprep>

SOURCE LINK

Note

The following steps are required to run elPrep:

1. Download the elPrep binary distribution from <https://github.com/ExaScience/elprep>

Direct download link:

<https://github.com/ExaScience/elprep/releases/download/v4.0.1/elprep-v4.0.1.tar.gz>

2. `mkdir elprep-v4.0.1`

3. `mv elprep-v4.0.1.tar.gz elprep-v4.0.1`

4. `cd elprep-v4.0.1`

5. `tar xvf elprep-v4.0.1.tar.gz`

6. `PATH=$WORKDIR/elprep-v4.0.1:$PATH`

3 Data preparation

Note

Our WES benchmark uses the public data provided by the Genome in a Bottle Consortium (GIAB). This data consists of unaligned FASTQ files, but we offer an aligned BAM file for this data on our demo repository (see

<https://github.com/ExaScience/elprep/tree/master/demo>). Otherwise, the following steps describe how to download and align the data yourself using BWA mem (version 0.7.17).

Similarly, our benchmark requires the reference genome, databases with known SNPs and BED files to be converted into an elPrep-specific format. Again, these files can be downloaded from our demo repository. Otherwise, the following steps describe how to download the data from public repositories and creating the elPrep-specific conversions.

3.1 Required Tools

Software		
BWA		NAME
Heng Li		DEVELOPER
https://github.com/lh3/bwa		SOURCE LINK

Note
<ol style="list-style-type: none">1. Ensure GCC installed (version 4.8.4 recommended)2. Download BWA source code from https://github.com/lh3/bwa Direct link: https://github.com/lh3/bwa/releases/download/v0.7.17/bwa-0.7.17.tar.bz23. <code>tar xvf bwa-0.7.17.tar.bz2</code>4. <code>cd bwa-0.7.17</code>5. <code>make</code>6. <code>cd \$WORKDIR</code>

3.2 Required data

Note

FASTQ and BED files

* Download GIAB whole-exome NA12878, FASTQ and BED files from

<https://github.com/genome-in-a-bottle>

Direct links:

[ftp://ftp-](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R1_001.fasq.gz)

[trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R1_001.fasq.gz](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R1_001.fasq.gz)

[ftp://ftp-](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R2_001.fastq.gz)

[trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R2_001.fastq.gz](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/NIST7035_TAAGGCGA_L001_R2_001.fastq.gz)

[ftp://ftp-](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/nextera_rapidcapture_expandedexome_targetedregions.bed.gz)

[trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/nextera_rapidcapture_expandedexome_targetedregions.bed.gz](ftp://ftp-trace.ncbi.nih.gov/giab/ftp/data/NA12878/Garvan_NA12878_HG001_HiSeq_Exome/nextera_rapidcapture_expandedexome_targetedregions.bed.gz)

Reference files

* Download the hg19 reference files from

<https://software.broadinstitute.org/gatk/download/bundle>

Direct links:

[ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/](ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/hg19/ucsc.hg19.*)

[hg19/ucsc.hg19.*](ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/hg19/ucsc.hg19.*)

When attempting a download, this may result in an error message that the login is incorrect. This is because the ftp site only allows a maximum of 25 users at the same time. If this happens, try again.

Known variants

* Download the database with known SNPs from

<https://software.broadinstitute.org/gatk/download/bundle>

Direct links:

[ftp://gsapubftp-](ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/hg19/Mills_and_1000G_gold_standard.indels.hg19.sites.vcf.gz)

[anonymous@ftp.broadinstitute.org/bundle/hg19/Mills_and_1000G_gold_standard.indels.hg19.sites.vcf.gz](ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/hg19/Mills_and_1000G_gold_standard.indels.hg19.sites.vcf.gz)

ftp://gsapubftp-anonymous@ftp.broadinstitute.org/bundle/hg19/dbsnp_138.hg19.vcf.gz

3.3 Data Preparation steps

3.3.1. Create the reference index:

Command

Required time: ca. 60 minutes

Result: ucsc.hg19.fasta.gz.*

```
bwa-0.7.17/bwa index ucsc.hg19.fasta.gz
```

3.3.2. Align the FASTQ files to create a BAM file:

Command

Required time: ca. 5 minutes

Result: NA12878.bam

```
bwa-0.7.17/bwa mem -t 72 -R '@RG\tID:Group1\tLB:lib1\tPL:illumina\tSM:sample1'
ucsc.hg19.fasta.gz NIST7035_TAAGGCGA_L001_R1_001.fastq.gz
NIST7035_TAAGGCGA_L001_R2_001.fastq.gz | elprep /dev/stdin NA12878.bam
```

3.3.3. Create hg19 elfasta file:

Command

Require time: ca. 1 minute

Result: ucsc.hg19.elfasta

```
cp ucsc.hg19.fasta.gz hg19.fasta.gz
gunzip hg19.fasta.gz
elprep fasta-to-elfasta hg19.fasta ucsc.hg19.elfasta
```

3.3.4. Create elsites files from vcf files:

Command

Require time: ca. 1 minute

Result: dbsnp_138.hg19.elsites

```
gunzip dbsnp_138.hg19.vcf.gz
```

```
elprep vcf-to-elsites dbsnp_138.hg19.vcf dbsnp_138.hg19.elsites
```

Command

Require time: ca. 10 seconds

Result: Mills_and_1000G_gold_standard.indels.hg19.elsites

```
gunzip Mills_and_1000G_gold_standard.indels.hg19.sites.vcf.gz
```

```
elprep vcf-to-elsites Mills_and_1000G_gold_standard.indels.hg19.sites.vcf
```

```
Mills_and_1000G_gold_standard.indels.hg19.elsites
```

3.3.5. Unzip the BED file with captured regions:

Command

```
gunzip nexterarapidcapture_expandedexome_targetedregions.bed.gz
```

4 Benchmarking elPrep

Note

elPrep provides a lot of filtering options, as well as two modes to execute it. The following benchmark implements a pipeline that executes the following four steps:

1. Sorting by coordinate order (equivalent to, for example https://software.broadinstitute.org/gatk/documentation/tooldocs/current/picard_sam_SortSam.php)
2. Marking PCR and optical duplicates (equivalent to, for example, https://software.broadinstitute.org/gatk/documentation/tooldocs/current/picard_sam_mark_duplicates_MarkDuplicates.php)
3. Base quality score recalibration (equivalent to, for example, https://software.broadinstitute.org/gatk/documentation/tooldocs/current/org_broadinstitute_hellbender_tools_walkers_bqsr_BaseRecalibrator.php)
4. Applying base quality score recalibration (equivalent to, for example, https://software.broadinstitute.org/gatk/documentation/tooldocs/current/org_broadinstitute_hellbender_tools_walkers_bqsr_ApplyBQSR.php)

Please see the elPrep documentation at <https://github.com/ExaScience/elprep> for further filtering options.

As for the execution options, elPrep can be run in an in-memory mode (filter) or a mode that first splits the input into smaller chunks, operates on each chunk to produce partial results, and merges the partial results into a final output file (sfm). The filter mode uses significantly more RAM than the sfm mode, but also runs significantly faster.

Each invocation produces the same BAM file as output. See the Statistics section below to double-check whether the BAM file is correctly processed. Please delete the output files before each rerun of elPrep.

4.1 elPrep filter mode

Command

Required time: ca. 5 minutes

Required RAM: 80 GB RAM

Result: NA12878.filter.bam

```
elprep filter NA12878.bam NA12878.filter.bam --mark-duplicates --mark-optical-duplicates  
NA12878.filter.metrics --sorting-order coordinate --bqsr NA12878.filter.recal --known-sites  
Mills_and_1000G_gold_standard.indels.hg19.elsites,dbsnp_138.hg19.elsites --bqsr-reference  
ucsc.hg19.elfasta --filter-non-overlapping-reads  
nextera rapidcapture_expandedexome_targetedregions.bed
```

4.2 elPrep sfm mode

Command

Required time: ca. 11 minutes

Required RAM: 22 GB RAM

Result: NA12878.sfm.bam

```
elprep sfm NA12878.bam NA12878.sfm.bam --mark-duplicates --mark-optical-duplicates  
NA12878.sfm.metrics --sorting-order coordinate --bqsr NA12878.sfm.recal --known-sites  
Mills_and_1000G_gold_standard.indels.hg19.elsites,dbsnp_138.hg19.elsites --bqsr-reference  
ucsc.hg19.elfasta --filter-non-overlapping-reads  
nextera rapidcapture_expandedexome_targetedregions.bed
```

5 Statistics (optional)

5.1 Required tools

Software

SAMtools

NAME

Genome Research Ltd

DEVELOPER

<https://github.com/samtools/samtools>

SOURCE LINK

Note

SAMtools

1. Ensure GCC installed (version 4.8.4 recommended)
2. Download SAMtools source code from <https://github.com/samtools/samtools> Direct link:
<https://github.com/samtools/samtools/releases/download/1.9/samtools-1.9.tar.bz2>
3. tar xvf samtools-1.9.tar.bz2
4. cd samtools-1.9
5. make
6. cd \$WORKDIR

5.2.1 Index

Command

Result: NA12878.sfm.bam.bai

samtools-1.9/samtools index NA12878.sfm.bam

5.2.2 Flagstat

Command

Result:

26641643 + 0 in total (QC-passed reads + QC-failed reads)

0 + 0 secondary

2610 + 0 supplementary

1657367 + 0 duplicates

26615111 + 0 mapped (99.90% : N/A)

26639033 + 0 paired in sequencing

13317424 + 0 read1

13321609 + 0 read2

26463140 + 0 properly paired (99.34% : N/A)

26578716 + 0 with itself and mate mapped

33785 + 0 singletons (0.13% : N/A)

16055 + 0 with mate mapped to a different chr

13804 + 0 with mate mapped to a different chr (mapQ>=5)

samtools-1.9/samtools flagstat NA12878.sfm.bam