

Mar 12, 2023

🌐 Kegel exercise and Psychosexual counselling for ED in SCI

DOI

<https://dx.doi.org/10.17504/protocols.io.j8nlkwydxl5r/v1>



K M Amran Hossain¹, Ahamadullah Hil Galeb², Md. Abu Khayer Hasnat³

¹Department of Physiotherapy & Rehabilitation, Jashore University of Science & Technology;

²Jashore University Of Science and Technology;

³Department of physiotherapy, Bangladesh Health Professions Institute



Ahamadullah Hil Galeb

Jashore University Of Science and Technology

Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.j8nlkwydxl5r/v1>

Protocol Citation: K M Amran Hossain, Ahamadullah Hil Galeb, Md. Abu Khayer Hasnat 2023. Kegel exercise and Psychosexual counselling for ED in SCI. **protocols.io** <https://dx.doi.org/10.17504/protocols.io.j8nlkwydxl5r/v1>

License: This is an open access protocol distributed under the terms of the **[Creative Commons Attribution License](#)**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: March 11, 2023

Last Modified: March 12, 2023

Protocol Integer ID: 78573

Keywords: Kegel exercise, Psychosexual counselling, Erectile dysfunction, Spinal cord injury , effectiveness of kegel exercise, psychosexual counselling for ed, kegel exercise, erectile dysfunction in incomplete spinal cord injury, psychosexual counselling, psychosexual counselling versus usual counselling, managing erectile dysfunction, incomplete spinal cord injury, clinical trial registry india, usual counselling

Abstract

The protocol describes the intervention provided in both "Kegel exercise and psychosexual counselling", and "usual counselling" for the study titled "Effectiveness of Kegel exercise and psychosexual counselling versus usual counselling for managing erectile dysfunction in incomplete spinal cord injury"

This study was approved by International Review Board (IRB), BHPI, and CRP and the reference number is CRP/BHPI/IRB/06/2020/394.

The study has also been registered to Clinical Trial Registry India (CTRI) and the registration number for this trial is CTRI/2020/07/026395

Attachments



Intervention Protoco...

16KB

Guidelines

The study has also been registered to Clinical Trial Registry India (CTRI) and the registration number for this trial is CTRI/2020/07/026395

Materials

Clinical guidelines of exercise and counselling

Safety warnings

 Not applicable

Ethics statement

This study was approved by International Review Board (IRB), BHPI, and CRP and the reference number is CRP/BHPI/IRB/06/2020/394.

Study process

1 Screening

2 Randomization

3 Baseline assessment

4 Intervention

4.1 Usual counselling

The counselling department follows the PLISSIT MODEL developed by Annon, in 1976.

P = Permission (verbal)

LI= Limited Information

SS= Specific Suggestions

IT= Intensive Therapy

Session -1

Given general information about sex in a group. If some feel interested or motivated then assess the need well as verbal consent. Assist the problems and counseling to the couple about facts regarding sex and problems after SCI. After that arrange a single room focusing intimation.

Session-2

In this session, find out the outcome of the previous session and find out the leading problem as well as give specific Suggestions/interventions.

Session-3

In this session, find out the outcome of a previous specific intervention. Any type of limitation in sexual activities they try to motivate to use alternatives. In some cases are referred to a doctor for medication.

Session-4

In this session, find out the outcome of the previous intervention by using feedback from the couple and evaluation.

Session-5

Arrange telephone conversations after discharge from the hospital regarding the continuation of sexual activities in the community.

4.2 Psychosexual counselling

	Contents	Description	Professionals involved
	C1 - Psychosexual Counseling	A counselor is the main educator and tutor for improving and modifying the thoughts, fantasies, desires, beliefs, attitudes, values, behaviors practices, roles and relationships, and Interaction of biological, psychological, social, economic, cultural, historical, religious, and spiritual factors.	A clinical psychologist and a Senior Counselor at the spinal cord injury (SCI) unit at Centre for the Rehabilitation of the Paralyzed (CRP), Savar, Dhaka, Bangladesh.
	C2 – Behavioral Therapy	Behavioral techniques are mainly used for erectile dysfunction and premature ejaculation. They also have provided some techniques for penile stimulation. - Start-stop- Approach climax and stop to reduce stimulation - Pull-out- Approach climax, vaginal withdrawal to reduce stimulation - Pull-out and squeeze - Approach climax, vaginal withdrawal and squeeze penis tip to reduce stimulation - Mind distraction- A couple or individual thinks about unrelated subjects to reduce stimulation - Sex education- Couple learns ways to reduce stimulation and delay climax - Masturbation daily- for ED as behavior techniques - Medication- for ED - Penile Ring- Local for PE as well as ED	A clinical psychologist and a Senior Counselor at the spinal cord injury (SCI) unit at Centre for the Rehabilitation of the Paralyzed (CRP), Savar, Dhaka, Bangladesh. A neurologist and a physician working at CRP One male peer counselor having SCI

		Vibrator- locally and AE behavior techniques . Relaxation/ exercise and Psycho-education for – Anxiety/ depression	
C3 – Peer Counseling		A peer counselor who is a person with a disability is a critical source of information and support. They are the experts on what their bodies experience. They also have experience accessing different resources in the community and can share suggestions on what has or hasn't worked for themselves or other clients. Persons with disabilities themselves are critical sources of information and support. They are the experts on what their bodies experience. They also have experience accessing different resources in the community and can share suggestions on what has or hasn't worked for themselves or other clients.	
C4 – Video Show		It is an important method where the patients can learn from the teaching video about sexual life, sexuality, the importance of sex, method of sex. The patient can learn different techniques for penile erection.	Counselling psychologist and a male peer counselor

4.3 Kegel exercise

Kegel exercise is a strengthening process that helps to strengthen the pelvic floor muscles. These muscles provide support to the uterus, bladder, small intestine, and

rectum. Among pelvic floor muscles, Bulbocavernosus and Ischiocavernosus muscles are directly attached to the basement of the penis which helps to erect the penis and maintain the erection for intercourse.

Kegel exercises can be performed in different positions such as prone lying, crook lying, sitting, and standing. But the patient is in a supine lying position on the bed because the participants were spinal cord lesion patients. Patients were instructed to tighten the pelvic floor muscles like hold and stop the urine & stool passing. The pelvic floor muscle strengthening protocol was followed based on different studies related to erectile dysfunction. The patient was provided an intervention protocol leaflet with a picture, description of treatment based on FITT approach.

Variables	Values
Frequency	5 sessions in a week, total of 12 weeks
Intensity	10 rep with 10 sec hold in each pelvic muscle contraction
Time	3 times/day (self-exercise)
Type of exercise	Pelvic muscle contraction

4.4 Doses and Progression:

Kegel exercise: Intervention for 12 weeks (Exercise 5 sessions/week)

Psychosexual Counselling: Intervention for 12 weeks (2 sessions/week)

Usual Counselling: Intervention for 12 weeks (2 sessions/week)

5 Post Test evaluation

Evaluation process

6 Statistical evaluation and result preparation

