

Jan 24, 2019

Kings B Media (1L)

 In 1 collection

DOI

dx.doi.org/10.17504/protocols.io.xf4fjqw

Brian A Smith¹, Baltrus@Email.arizona.edu Micro.tucson¹

¹University of Arizona



Brian A Smith

University of Arizona

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.xf4fjqw

Protocol Citation: Brian A Smith, Baltrus@Email.arizona.edu Micro.tucson 2019. Kings B Media (1L). **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.xf4fjqw>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use these protocols commonly in our group and they are working.

Created: January 24, 2019

Last Modified: January 24, 2019




Protocol Integer ID: 19676





Fill container approximately 750mL of H₂O

- 1 Add stir bar and set to mix



Add Bacto Peptone

- 2
 -  10 g Bacto Peptone
 -  10 g Bacto Tryptone
 -  10 mL Glycerol

Add K₂HPO₄

- 3
 -  1.5 g
 - or
 -  10 mL of 1M Solution


Add MgSO₄•H₂O

- 4
 -  1.5 g
 - or
 -  10 mL of 1M Solution

Bring volume to 1L by adding H₂O

- 5 Allow to mix again with stir bar.

Add Agar (if making plates)

- 6 Add agar to container to be autoclaved
 -  15 g agar



Then add media