

Oct 16, 2019

Lesion Size

DOI

dx.doi.org/10.17504/protocols.io.8bshsne

Cleo B.¹

¹Wageningen University

iGEM Wageningen 2019



Cleo B.

OPEN  ACCESS



DOI: dx.doi.org/10.17504/protocols.io.8bshsne

Protocol Citation: Cleo B. 2019. Lesion Size . protocols.io <https://dx.doi.org/10.17504/protocols.io.8bshsne>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this protocol and it's working

Created: October 16, 2019

Last Modified: October 16, 2019

Protocol Integer ID: 28754

Abstract

Measuring the lesion size in *Brassica oleracea* after infection with *Xanthomonas campestris* pv. *campestris*.

Guidelines

Depending on the country, *X. campestris* may be an quarantine organism. Please make sure you follow the specific guidelines of your country.



Materials

At least three-week-old *Brassica oleracea* plants infected with *Xanthomonas Campestris* pv. *campestris* in climate chamber

Calliper



- 1 Measure the lesion size on the leaf from the site of infection until the end of the yellow discoloration using a calliper.