OCT 16, 2019

🌐 Lesion Size

Cleo B.¹

¹Wageningen University

iGEM Wageningen 2019

Cleo B.

OPEN ACCESS

DOI:
dx.doi.org/10.17504/protocols.io.8bshsne

Protocol Citation: Cleo B. 2019. Lesion Size .
protocols.io
<https://dx.doi.org/10.17504/protocols.io.8bshsne>

License: This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working
 We use this protocol and it's working

Created: Oct 16, 2019

Last Modified: Oct 16, 2019

PROTOCOL integer ID:
 28754

ABSTRACT

Measuring the lesion size in *Brassica oleracea* after infection with *Xanthomonas campestris* pv. *campestris*.

GUIDELINES

Depending on the country, *X. campestris* may be an quarantine organism. Please make sure you follow the specific guidelines of your country.

MATERIALS

At least three-week-old *Brassica oleracea* plants infected with *Xanthomonas Campestris* pv. *campestris* in climate chamber
 Calliper

- 1 Measure the lesion size on the leaf from the site of infection until the end of the yellow discoloration using a calliper.