APR 28, 2020

Lysis Buffer

Marco Cosentino¹, Elisa Storelli¹, Alessandra Luini¹,
Massimiliano LM Legnaro¹, Emanuela Rasini¹, Marco Ferrari¹,
Franca Marino¹

¹Center for Research in Medical Pharmacology, University of Insubria
(Varese, Italy)

Elisa Storelli

Center for Research in Medical Pharmacology, University of I...

OPEN ACCESS

DOI:

dx.doi.org/10.17504/protocols.io.beefjbbn

Document Citation: Marco Cosentino, Elisa Storelli, Alessandra Luini, Massimiliano LM Legnaro, Emanuela Rasini, Marco Ferrari, Franca Marino 2020. Lysis Buffer.

protocols.io

<https://dx.doi.org/10.17504/protocols.io.beefjbbn>

License: This is an open access document distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Created: Mar 31, 2020

Last Modified: Jun 09, 2020

DOCUMENT integer ID:

34983

Protocol

NAME

Separation and purification of human PBMC from BUFFY COAT

CREATED BY

Elisa Storelli

PREVIEW

Lysis Buffer composition g/l (M)

NH₄Cl 8.248 (0.154)

KHCO₃ 1.0 (0.01)

EDTA 0.0368 (0.0001)

Add ultrapure water to 1 liter.

Storage: 4 °C Fridge 1 - (Room TS08).

Filtered Lysis Buffer: *filter lysis buffer using sterile syringe and filter.*

Sterile filter and syringe are in closet 1 (Room PS03).

Prymo siringe filter: catalog number EPSPE2230 Euroclone, Italy.

Storage: 4 °C Fridge 2 - (Room PS03).

NH₄Cl: catalog number 1.01145.1000 Merck, Italy.

KHCO₃: catalog number 1.04854.500 Merck, Italy.

EDTA: catalog number ED2SS Sigma, Italy.