

Dec 20, 2023

Version 2

Modular automated sample processing of biological samples using ultrasonication and a workstation for high-throughput proteomics V.2

DOI

<https://dx.doi.org/10.17504/protocols.io.j8nlkoy56v5r/v2>

ronan.ocualain¹

¹University of Manchester


protocols.io Ambassadors

BioMS CRF, UoM



ronan o'cuailain

Inoviv



Create & collaborate more with a free account

Edit and publish protocols, collaborate in communities, share insights through comments, and track progress with run records.

Create free account

OPEN  ACCESS



DOI: <https://dx.doi.org/10.17504/protocols.io.j8nlkoy56v5r/v2>

Collection Citation: ronan.ocualain 2023. Modular automated sample processing of biological samples using ultrasonication and a workstation for high-throughput proteomics. **protocols.io**

<https://dx.doi.org/10.17504/protocols.io.j8nlkoy56v5r/v2> Version created by [ronan o'cuailain](#)



License: This is an open access collection distributed under the terms of the **Creative Commons Attribution License**, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

Protocol status: Working

We use this collection and it's working

Created: December 20, 2023

Last Modified: December 20, 2023

Collection Integer ID: 92551

Keywords: throughput proteomics sample preparation for mass spectrometry analysis, throughput proteomics sample preparation, proteomic, qi for proteomic, ultrasonication of biological sample, processing of biological sample, protein extraction, sample processing of biological sample, mass spectrometry analysis, progenesis qi for proteomic, biological sample, using ultrasonication, sample lysi, automated sample processing, sample processing, ultrasonication, biomek nxp workstation, using hela extract, hela extract at the entry stage, extraction, peptide, enzymatic digestion, using progenesis qi, using progenesi, data processing stage



Abstract

Sample preparation for mass spectrometry analysis involves **numerous** liquid transfer steps.

These include


- **sample lysis,**
- **protein extraction,**
- **solubilisation,**
- **estimation,**
- **reduction and alkylation,**
- **normalisation,**
- **clean-up,**
- **enzymatic digestion,**
- **and desalting.**

Adapting these steps onto an automated workstation can increase efficiency, throughput, and reduce coefficients of variance (**%CV**) thereby providing reliable reproducible data for statistical comparisons.

This protocol is part of a modular collection for the processing of biological samples for proteomics.

The entry point is ultrasonication of biological samples (cells, tissues, laser captured FFPE sections) using a plate based LE220+ system from Covaris, followed by sample processing with a Biomek NXP workstation.

Technical measurement of workflow percentage coefficients of variation (**%CVs**) using HeLa extract at the entry stage, to measurement of the ion intensities at the data processing stage with data collected by DDA using a QE-HF and processed using Progenesis-QI for proteomics has shown that one third of peptides have **%CVs** below **20%**, and with 80% of peptides having **%CVs** below **30%**. Using Progenesis QI for proteomics indicates that 98% of peptides are found in all 7 replicates processed.



In addition, the whole procedure (80 samples) may be completed in a day, if shorter digestion times are utilised.

Files

 SEARCH

Protocol



NAME

Automated 96 well plate based protein reduction and alkylation using a Beckman Biomek™ NxP workstation

VERSION 1

CREATED BY



ronan o'cuallain
Inoviv

OPEN →

Protocol



NAME

Automated 96 well plate based protein quantitation using a Beckman Biomek™ NxP workstation and a Pierce™ 660nm Protein Assay Kit

VERSION 1

CREATED BY



ronan o'cuallain
Inoviv

OPEN →

Protocol



NAME

Protein aggregation capture (PAC) and minimal automated processing for proteomics using magnetic beads and a Beckman Biomek™ NxP workstation for 96 well plates.

VERSION 1

CREATED BY



ronan o'cuallain
Inoviv

OPEN →