VERSION 2

JAN 29, 2020

Mouse Genotyping with KAPA Kit in 2 Hours (#KK7302) V.2

Cq Wu¹¹UKY

Cq Wu

UKY

ABSTRACT

This protocol uses KAPA Mouse Genotyping kit (#KK7302)

OPEN ACCESS**DOI:**

dx.doi.org/10.17504/protocols.io.bbxnipme

Protocol Citation: Cq Wu
2020. Mouse Genotyping with
KAPA Kit in 2 Hours
(#KK7302). **protocols.io**
<https://dx.doi.org/10.17504/protocols.io.bbxnipme>

License: This is an open
access protocol distributed
under the terms of
the [Creative Commons
Attribution License](#), which
permits unrestricted use,
distribution, and reproduction
in any medium, provided the
original author and source are
credited

Protocol status: Working
We use this protocol and it's
working

Created: Jan 29, 2020

Last Modified: Jan 29, 2020

PROTOCOL integer ID:
32462

DNA Extraction

30m

1 Collect mouse tissues (ear or tail clips) into PCR strips.

2 Make 100 µL extraction buffer mix for each sample.

10x Extraction buffer	10 ul
H2O	88 ul
Extraction Enzyme	2 ul
Total	100 ul

3 Add 100 µL buffer into each tissue sample and run the reaction as follows:

75 °C	00:15:00
95 °C	00:05:00
4 °C	00:00:00

Note

Tissues are visible or intact after extraction (this is normal).
Vortex DNA extract and spin down before PCR.

PCR

30m

4 Make 20 µL PCR master mix for each sample.

2x PCR buffer	10 ul
H2O	8 ul
10 uM Primers mix	1 ul
DNA	1 ul
Total	20 ul

5 Run the reaction as follows:

🌡️ 95 °C ⌚ 00:03:00

35 cycles

🌡️ 95 °C ⌚ 00:00:15

🌡️ 57 °C adjustable ⌚ 00:00:15

🌡️ 72 °C ⌚ 00:00:10 per kb

35 cycles

🌡️ 4 °C ⌚ 00:00:00

Run DNA Gel

30m

- 6 Take 🧴 10 µL PCR reaction and run DNA gel.